

SIX MONTHLY COMPLIANCE REPORT

PERIOD: OCTOBER 2023 to MARCH 2024

No.: J-11011/551/2010-IA-II (I), Dated – 22.03.2013



Prepared by:

SUBHAM OILS & RESINS PVT. LTD.

**Village- Surjpur, Tehsil- Barackpore, District- North 24
Paraganas, Pin - 700121 West Bengal**

INTRODUCTION

Subham Oils & Resins Private Limited has established Alkyd Manufacturing unit (1,500 TPA/42.5 MTPM) at JL No. 15, Plot No. 650/780, 635/781, 636/861, Village Surjpur, Tehsil Barackpore, District North 24 Parganas, West Bengal. It has started its commercial production in 2014. The plant is continuing their production safely till to date without any causing any environmental mismanagement.

Subham Oils & Resins Private Limited was granted Environmental Clearances from Ministry of Environment & Forest (MoEF), Consent to Establish as well as Consent to operate (CTO) from West Bengal Pollution Control Board respectively. As part of the compliance of statutory requirement environmental quality monitoring is being done. In the mean-time the project proponent has obtained the EC for its expansion unit.

Ambient Air Quality Monitoring Stations have been established and are monitored at four locations around the site. Presently environmental quality monitoring & analysis is being carried out by M/s. Envirocheck, Kolkata, West Bengal.

As per the conditions of MoEF the unit is complying all the conditions. The detail regarding compliance is given herewith in the following pages for the half yearly period of October 2023 to March 2024.



**COMPLIANCE STATUS ON ENVIRONMENTAL
CLEARANCE**

Name of the Project: Alkyd Manufacturing Unit (1500 TPA) Clearance

Letter No.: F-No. J-11011/551/2010-IA-II (I), dated 22nd March, 2013

Project Code: 110-250

Period of Compliance Report: October 2023 to March 2024.

A. SPECIFIC CONDITIONS:

Sl.	COMPLIANCE CONDITIONS	:	COMPLIANCE STATUS
i.	Regular monitoring of Volatile Organic Compounds (VOCs) should be carried out.		VOC monitoring has been conducted within the factory premises in accordance with the requirements of the six-monthly compliance report.
ii.	Stack of adequate height should be installed to oil fired boiler to disperse waste gases into atmosphere.	:	As a result of the combustion of H.S.D. in the boiler, the stack height with the boiler is 100 feet. The test report is as Annexure – 1 .
iii.	Fugitive emissions in the work zone environment, product, raw materials storage area etc. should be regularly monitored. The emissions should confirm to the limits imposed by SPCB.	:	Work Zone monitoring has been done as per the condition. The test report is in Annexure – 1 .
iv.	Wet scrubber should be provided to control process emissions. Methanol should be recovered from the process area.	:	A wet scrubber has been installed to regulate process emissions. The essential hood has been fitted at the mouth of the charging door. Methanol recovery is not applicable in this unit.

Sl.	COMPLIANCE CONDITIONS	:	COMPLIANCE STATUS
v.	Total water requirement should not exceed 0.4m ³ /day and prior permission shall be obtained from the concerned Authority.		Water does not required in this process. Water is used for cooling purpose only. The requirement of waste is restricted to 400 lits/day.
vi.	As proposed, Industrial effluent shall be treated in ETP. Treated effluent should be reused/recycled within the factory premises. Water quality of treated effluent shall meet the norms prescribed by CPCB/SPCB. As proposed Phenol should be extracted/treated from the effluent before sending to the ETP.		The E.T.P. has been successfully installed and is currently operational. The treatment method consists of chemical treatment followed by an activated sludge process and tertiary treatment with activated carbon. The treated wastewater is used for various domestic purposes. The Test Report is in the Annexure – 2 .
vii.	The company should obtain Authorization for collection, storage and disposal of hazardous waste under the Hazardous Waste (Management, Handling and Trans-Boundary Movement) Rules, 2008 and amended as on date for management of Hazardous wastes and prior permission from SPCB should be obtained for disposal of solid I hazardous waste in the TSDF. Measures should be taken for firefighting facilities in case of emergency.		Authorization has been obtained for collection, storage and disposal of hazardous waste under hazardous waste under the Hazardous Waste (Management, Handling & Trans-Boundary Movement) Rules. The waste is given to WBPCB authorize agency as per agreement done with that agency. See the Annexure – 5.
viii.	Solvent management should be as follows :		In this unit all precautionary measures are taken as per diection

Sl.	COMPLIANCE CONDITIONS	:	COMPLIANCE STATUS
	- Reactor should be connected to chilled brine condenser system. - Reactor and solvent handling pump should have mechanical seals to prevent leakages. - The condensers should be provided with sufficient Heat Transfer Area. (HTA) and residence time so as to achieve more than 95% recovery. - Solvents should be stored in a separate space specified with all safety measures. - Proper earthing should be provided in all the electrical equipments wherever solvent handling is done. Entire plant where solvents are used should be flame proof. The solvent storage tanks should be provided with breather valve to prevent losses.		to minimize the probability of any untoward incident. All safety measures are taken as per the conditions mentioned above. All chemicals are kept in earmarked area as per direction of the EC. Flame proof Solvents are used in the entire plant. Solvent storage tank is provided with breather valve to prevent losses.
ix.	As proposed, green belt should be developed in at least 33 % of the project area. Selection of plant species shall be as per the CPCB guidelines in consultation with the DFO.		A small unit is being utilized for the development of the essential green belt plan, with all necessary measures being implemented gradually in the open space. A minimum of 33% of the area is designated for plantation. The evidence is given in the Photographs.

Sl.	COMPLIANCE CONDITIONS	:	COMPLIANCE STATUS
x.	Occupational health surveillance of the workers should be done on a regular basis and records maintained as per the Factories Act.		Occupational health surveillance of the workers has been regularly conducted. All workers are under within the ESI scheme and receive essential medical checkups at ESI hospitals. However a regular health check of workers is done as per requirement on case to case basis. Annexure – 6.
xi.	All the commitments made to the public during the Public Hearing/Public Consultation meeting held on 30.1.2012 shall be satisfactorily implemented and a separate budget for implementing the same shall be allocated and information submitted to the Ministry's Regional Office at Bhubaneswar		The financial budget for Environment Management Plan is kept to take care of the commitments given during public hearing held on 30.01.2012.
xii.	The company shall provide housing for construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.		The entire necessary infrastructure was provided to workers at time of construction work. The proponent has provided essential drinking water, medical facilities and other amenities to the worker. Temporary structure of labour hutment will be removed after completion of the project in the expansion unit.

B. GENERAL CONDITIONS

Sl.	COMPLIANCE CONDITIONS	:	COMPLIANCE STATUS
i.	Ambient air quality data should be collected as per NAAQS standards notified by the Ministry on 16hSeptember, 2009.		Monitoring of AAQ is done in every six months as mentioned in the condition. The AAQ Monitoring has been done on 29.03.2024. The Test Report is given n Annexure – 1 .
ii.	The project authorities must strictly adhere to the stipulations made by the West Bengal Pollution Control Board and the State Government.		The project proponent is adhering to all the stipulation made by W.B.P.C.B. and the State Government.
iii.	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests.		No expansion or modification in the plant will not be carried out further without prior approval of the Ministry of Environment and Forests, and necessary EC has already been obtained.
iv.	At least four ambient air quality monitoring stations should be established in the downward direction as well as where maximum ground level concentration of PM10, SO2 and NOx are anticipated in consultation with the SPCB. Data on ambient air quality and stack emission shall be regularly submitted to this Ministry including its Regional Office at Bhubaneswar and the SPCB/CPCB once in six months.		Ambient Air Quality Monitoring stations have been installed according to the predominant wind direction as per the condition. The monitoring is conducted once every six months. See Annexure -1. The Stack emission and Ambient Air Quality monitoring report are submitted regularly to MoEF Bhubaneswar and the SPCB once in six months.

Sl.	COMPLIANCE CONDITIONS	:	COMPLIANCE STATUS
v.	Industrial waste water shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19 th May, 1993 and 31 st December, 1993 or as amended form time to time. The treated waste water shall be utilized for plantation purpose.		The condenser's condensate is the primary source of waste water generation in this unit. The septic tank receives the waste water from domestic discharge.
vi.	The overall noise levels in and around the plant area shall be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels should conform to the standards prescribed under EPA Rules, 1989 viz. 75 dBA (day time) and-70 dBA (Night time).		The overall noise levels in and around the plant is kept within the limit under EPA rules, 1989 viz.75 dBA (daytime) and 70 dBA (nighttime). In this unit all necessary measures are taken to control the noise level. See Annexure – 3.
vii.	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.		Occupational health surveillance of the workers is conducted on a regular basis as per requirement. State Employees Insurance covers the employees.
viii.	The company shall develop rain water harvesting structures to harvest the rain water for utilization in the lean season besides recharging the ground water table.		Rain water harvesting system will be installed. In the plan recharging of ground water is not considered.

Sl.	COMPLIANCE CONDITIONS	:	COMPLIANCE STATUS
ix.	The project proponent shall also comply with all the environmental protection measures and safeguards recommended in the EIA/EMP report. Further ,the company must undertake socio-economic development activities in the surrounding villages like community development programmes, educational programmes, drinking water supply and health care etc		As per the recommendations and plan, the implementation of environmental protection measures and safeguards has been completed in the unit. In addition to this, participation in social activities in the surrounding villages has been undertaken by the unit. The Environmental Management Plan has already been implemented and regular participation in social activities in the nearby areas is being carried out.
x.	Requisite funds shall be earmarked towards capital cost and recurring cost/annum for environment pollution control measures to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government. An implementation schedule for implementing all the conditions stipulated herein shall be submitted to the Regional office of the Ministry of Bhubaneswar. The funds so provided shall not be diverted for any other purpose.		Necessary funds are kept towards capital cost & recurring cost/annum For Environmental Pollution Control measures in line with the guidelines of State Pollution Control Board.
xi.	A copy of clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parishad/Municipal Corporation, Urban Local Body and the local NGO, if any, from whom suggestion/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the web site of the company by the proponent.		The clearance copy is provided to the concerned Panchayet. The suggestion/representation is taken care of. Additionally, the clearance letter is posted on the company's website. EC copy is attached in Annexure-8 .

Sl.	COMPLIANCE CONDITIONS	:	COMPLIANCE STATUS
xii.	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the MOEF at Bhubaneswar. The respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; PM10, SO ₂ , NO _x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.		The condition is complied herewith.
xiii.	The project proponent shall also submit six monthly reports on the status of the compliance of the stipulated environmental conditions including results of monitored data (both in hard copies as well as by e- mail) to the Regional Office of MOEF, the respective Zonal Office of CPCB and the SPCB. The Regional Office of this Ministry at Bhubaneswar/ CPCB / SPCB shall monitor the stipulated conditions.		Six monthly reports are regularly being submitted by the proponent to the Regional Office of MoEF, Bhubaneswar and SPCB.

xiv.	The environment al statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental conditions and shall also be sent to the respective Regional Office of the MOEF at Bhubaneswar by e-mail.	The Environmental Statement for the year ending 31 st March is made and submitted in due course as per Environment (Protection) Rules,1986.
xv.	The Project Proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB and may also be seen at Website of the Ministry of Environment and Forests at http://envfor.nic.in . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular Language of the locality concerned and a copy of the same should be forwarded to the regional office at Bhubaneswar.	All the conditions are already compiled & copy of the advertisement is given in Annexure – 7 .
xvi.	Project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of Commencing the land development work.	The copy of the Consent to Establish and Consent to Operate are attached in Annexure-4 .

DATA INTERPRETATION

1. Ambient Air Monitoring

Ambient air quality monitoring has been carried out in the month of March, 2024 in four locations to assess the ambient air quality of Project Site.

Parameters	Back Side of the Plant	East Side of the Village	Near Main Gate	Near Administrative Building
PM _{2.5} (µg/m ³)	47.82	47.34	50.46	49.52
PM ₁₀ (µg/m ³)	77.38	78.12	81.82	79.18
SO ₂ (µg/m ³)	6.20	6.40	6.80	6.46
NO ₂ (µg/m ³)	30.74	31.32	31.62	30.82




Figure 1Graphical Representation of Ambient Air Monitoring

2. Stack Gas Analysis

The sample was taken on 29th March, 2024.

Location Name Parameters	Reaction Kettle (Over Hood)	Thermic Fluid Heater	D.G. Set – 160 KVA
PM (mg/Nm ³)	8.25	29.74	36.46




Figure 2 Graphical Representation of Stack Gas Monitoring

3. Work Zone Air Quality Analysis

The sampling has been carried in month of March, 2024.

Parameters	Inside the Processing Unit	Inside the store
SPM($\mu\text{g}/\text{m}^3$)	118.08	122.0
RPM ($\mu\text{g}/\text{m}^3$)	78.12	74.56
SO ₂ ($\mu\text{g}/\text{m}^3$)	6.91	6.0
NO ₂ ($\mu\text{g}/\text{m}^3$)	30.40	28.24




Figure 3 Graphical Representation of Work Zone Air Quality Analysis

4. Effluent Water Quality Monitoring

Effluent water sampling date is 29th March, 2024.

i. E.T.P Inlet

Parameters	Results
pH value	6.20
Total Suspended Solids	140.0
Oil & Grease	16.0
Chemical Oxygen Demand	1280.0
BOD [5 days at 20 ⁰ C] (mg./l)	310.0

ii. E.T.P Outlet

Parameters	Results	Limit
pH value	6.90	5.5-9.0
Total Suspended Solids	30.0	100.0
Oil & Grease	4.50	10.0
Chemical Oxygen Demand	80.0	250.0
BOD [5 days at 20 ⁰ C] (mg./l)	26.0	30.0

5. Ambient Noise Monitoring

On 29th March, 2024 Noise sampling has been carried out

Location	Results dB(A) (Day Time)	Results dB(A) (Night Time)
Near D.G. Room	71.07	61.72
Near store Room	63.66	49.88





Figure 4Graphical Representation of Ambient Noise Monitoring

PICTORIAL EVIDENCE

AMBIENT AIR QUALITY MONITORING




STACK GAS MONITORING




WORKZONE MONITORING





NOISE MONITORING




GREEN-BELT



ETP



FIRE FIGHTING EQUIPMENTS



DISPLAY BOARD



WATER MONITORING



Annexure – 1



ENVIROCHECK

Recognised by MoEF&CC, WBPCB & JSPCB
Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018



TEST REPORT

FORMAT NO : ENV/FM/38

Name of the Industry	:	Subham Oils & Resins Pvt. Ltd.	Type of Industry	:	Alkyd & Synthetic Resin Mfg. Unit
Address	:	Vill. + P.O. – Surjopur, P.S. – Titagarh, Dist. – 24 Pgs.(N) – 700121	Sampling Date	:	29.03.2024
			Period of Analysis	:	30.03.2024 – 01.04.2024
			Date of Issue	:	03.04.2024
Sampling Plan & Procedure	:	ENV/SOP/01	Deviation from the Sampling Method and Plan	:	No
			Type of Sample	:	Stack Emission
Sample Condition	:	Sealed	Sample ID No.	:	ENV/421/March/M/A/I
			Report No.	:	ENV/421/March/M/TR(A)/I/23-24

A. GENERAL INFORMATION ABOUT STACK PROVIDED BY THE INDUSTRY

Stack Attached to	:	Reaction Kettle (Over Hood)
Shape of Stack	:	Circular
		Height of Stack (mtr.) (from G. L.) : 30.0
Materials of Construction	:	M.S.
		Stack I.D. at sampling point (mtr.) : 0.30
Capacity	:	10 MT/Batch
		Height of sampling port (mtr.) (from G.L.) : 22.0
Emission Due to	:	Process Activity
Fuel Used	:	N.A.
		Permanent Platform & Ladder : Yes
Working Fuel Consumption	:	Nil
Pollution Control Device	:	Wet Scrubber with Activated Carbon Bed Scrubber

B. RESULTS

SL. NO.	PARAMETERS	UNIT	METHOD NO.	RESULTS	LIMIT
1.	Flue Gas Temperature	°C	IS : 11255 (Part 1)	: 72.0	N.A.
2.	Barometric Pressure	mm of Hg.	--	: 757.0	N.A.
3.	Velocity of Gas flow	m/s	IS : 11255 (Part 3)	: 8.20	N.A.
4.	Quantity of Gas flow	Nm ³ /hr.	IS : 11255 (Part III)	: 1792.95	N.A.
5.	Concentration of Particulate Matter	mg/Nm ³	IS 11255 (Part – 1) : 2019 & ASTM D 3685/D 3685M-98 (reapproved 2005) : Sec. 11 (Vol.11.07) : 2017	: 8.25	150.0

Remarks : Limit as per CPCB [Emission Regulation Part IV : COINDS/26/1986-87].
: N.A. means Not Available.
: Result relates only to the sample tested.

Reviewed By :

DURBADAL CHAKRABORTY
Dy. Quality Manager

Authorised Signatory :

Dr. SUMIT CHOWDHURY
Technical Manager

H.O. : 63/B, Rastraguru Avenue, Kolkata -700028 ■ Ph. 033 25792891/ 25497490 ■ Fax : 033 25299141
Laboratory : 189, 190 & 192, Rastraguru Avenue, Kolkata -700028 ■ Ph. 033 25792889
E-mail : info@envirocheck.in / envirocheck50@gmail.com ■ Website : www.envirocheck.in
Branch Office : Siliguri ■ Haldia ■ Durgapur ■ Dhanbad ■ Gangtok ■ Port Blair ■ Dehradun ■ New Delhi



ENVIROCHECK

Recognised by MoEF&CC, WBPCB & JSPCB
Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018



TEST REPORT

FORMAT NO : ENV/FM/38

Name of the Industry	:	Subham Oils & Resins Pvt. Ltd.	Type of Industry	:	Alkyd & Synthetic Resin Mfg. Unit
Address	:	Vill. + P.O. – Surjopur, P.S. – Titagarh, Dist. – 24 Pgs.(N) – 700121	Sampling Date	:	29.03.2024
			Period of Analysis	:	30.03.2024 – 01.04.2024
			Date of Issue	:	03.04.2024
Sampling Plan & Procedure	:	ENV/SOP/01	Deviation from the Sampling Method and Plan	:	No
			Type of Sample	:	Stack Emission
Sample Condition	:	Sealed	Sample ID No.	:	ENV/421/March/M/A/II
			Report No.	:	ENV/421/March/M/TR(A)/II/23-24

A. GENERAL INFORMATION ABOUT STACK PROVIDED BY THE INDUSTRY

Stack Attached to	:	Thermic Fluid Heater
Shape of Stack	:	Circular
		Height of Stack (mtr.) (from G. L.) : 23.0
Materials of Construction	:	M.S.
		Stack I.D. at sampling point (mtr.) : 0.6096
Capacity	:	6,00,000 K-Cal/hr.
		Height of sampling port (mtr.) (from G.L.) : 6.09
Emission Due to	:	Combustion of Wood
Fuel Used	:	Wood
		Permanent Platform & Ladder : Yes
Working Fuel Consumption	:	100 kg./hr.
Pollution Control Device	:	Bag Filter with Mechanical Dust Collector

B. RESULTS

SL. NO.	PARAMETERS	UNIT	METHOD NO.	RESULTS	LIMIT
1.	Flue Gas Temperature	°C	IS : 11255 (Part 1)	: 142.0	N.A.
2.	Barometric Pressure	mm of Hg.	--	: 757.0	N.A.
3.	Velocity of Gas flow	m/s	IS : 11255 (Part 3)	: 10.07	N.A.
4.	Quantity of Gas flow	Nm ³ /hr.	IS : 11255 (Part III)	: 10016.68	N.A.
5.	a) Concentration of SO ₂	mg/Nm ³	IS 11255 (Part 2) : 2019	: 16.84	N.A.
	b) Concentration of SO ₂ (at 6% O ₂)	mg/Nm ³	IS 11255 (Part 2) : 2019	: 32.38	N.A.
6.	a) Concentration of NO _x	mg/Nm ³	IS 11255 (Part 7) : 2017 / ASTM D 1608-98,	: 12.74	N.A.
	b) Concentration of NO _x (at 6% O ₂)	mg/Nm ³	Sec. 11 (Vol. 11.07) : 2017	: 24.50	N.A.
7.	Concentration of CO ₂	% (v/v)	IS 13270 : 2019	: 4.0	N.A.
8.	Concentration of O ₂ by Orsat	% (v/v)	EPA Method 3 : 2017	: 13.2	N.A.
9.	Concentration of CO	% (v/v)	IS 13270 : 2019	: <1.0	1.0
10.	a) Concentration of Particulate Matter	mg/Nm ³	IS 11255 (Part – 1) : 2019 & ASTM D 3685/D 3685M-98 (reapproved 2005) : Sec.	: 15.47	N.A.
	b) Concentration of Particulate Matter (at 6% O ₂)	mg/Nm ³	11 (Vol.11.07) : 2017	: 29.74	150.0

Remarks : Limit as per CPCB [Emission Regulation Part IV : COINDS/26/1986-87].

: N.A. means Not Available.

: Result relates only to the sample tested.

Reviewed By :

DURBADAL CHAKRABORTY
Dy. Quality Manager

Authorised Signatory :

Dr. SUMIT CHOWDHURY
Technical Manager

H.O. : 63/B, Rastraguru Avenue, Kolkata -700028 ■ Ph. 033 25792891/ 25497490 ■ Fax : 033 25299141

Laboratory : 189, 190 & 192, Rastraguru Avenue, Kolkata -700028 ■ Ph. 033 25792889

E-mail : info@envirocheck.in / envirocheck50@gmail.com ■ Website : www.envirocheck.in

Branch Office : Siliguri ■ Haldia ■ Durgapur ■ Dhanbad ■ Gangtok ■ Port Blair ■ Dehradun ■ New Delhi



ENVIROCHECK

Recognised by MoEF&CC, WBPCB & JSPCB
Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018



TEST REPORT

FORMAT NO : ENV/FM/38

Name of the Industry	:	Subham Oils & Resins Pvt. Ltd.	Type of Industry	:	Alkyd & Synthetic Resin Mfg. Unit
Address	:	Vill. + P.O. – Surjopur, P.S. – Titagarh, Dist. – 24 Pgs.(N) – 700121	Sampling Date	:	29.03.2024
			Period of Analysis	:	30.03.2024 – 01.04.2024
			Date of Issue	:	03.04.2024
Sampling Plan & Procedure	:	ENV/SOP/01	Deviation from the Sampling Method and Plan	:	No
			Type of Sample	:	Stack Emission
Sample Condition	:	Sealed	Sample ID No.	:	ENV/421/March/M/A/III
			Report No.	:	ENV/421/March/M/TR(A)/III/23-24

A. GENERAL INFORMATION ABOUT STACK PROVIDED BY THE INDUSTRY

Stack Attached to	:	Diesel Generator (Acoustic Enclosure attached)
Shape of Stack	:	Circular
		Height of Stack (mtr.) (from G. L.) : 6.0
Materials of Construction	:	M.S.
		Stack I.D. at sampling point (mtr.) : 0.10
Capacity	:	160 KVA
		Height of sampling port (mtr.) (from G.L.) : Final Exhaust
Emission Due to	:	Combustion of H.S.D
Fuel Used	:	H.S.D
		Permanent Platform & Ladder : Yes
Working Fuel Consumption	:	20 liter./hr.
Pollution Control Device	:	Nil

B. RESULTS

SL. NO.	PARAMETERS	UNIT	METHOD NO.	RESULTS	LIMIT
1.	Flue Gas Temperature	°C	IS : 11255 (Part 1)	: 172.0	N.A.
2.	Barometric Pressure	mm of Hg.	--	: 757.0	N.A.
3.	Velocity of Gas flow	m/s	IS : 11255 (Part 3)	: 15.24	N.A.
4.	Quantity of Gas flow	Nm ³ /hr.	IS : 11255 (Part III)	: 287.10	N.A.
5.	Concentration of SO ₂	mg/Nm ³	IS 11255 (Part 2) : 2019	: 11.82	N.A.
6.	Concentration of CO ₂	% (v/v)	IS 13270 : 2019	: 7.8	N.A.
7.	Concentration of CO	% (v/v)	IS 13270 : 2019	: <1.0	1.0
8.	Concentration of Particulate Matter	mg/Nm ³	IS 11255 (Part – 1) : 2019 & ASTM D 3685/D 3685M-98 (reapproved 2005) : Sec. 11 (Vol.11.07) : 2017	: 36.46	150.0

Remarks : Limit as per CPCB [Emission Regulation Part IV : COINDS/26/1986-87].

: N.A. means Not Available.

: Result relates only to the sample tested.

Reviewed By :

DURBADAL CHAKRABORTY
Dy. Quality Manager

Authorised Signatory :

Dr. SUMIT CHOWDHURY
Technical Manager

H.O. : 63/B, Rastraguru Avenue, Kolkata -700028 ■ Ph. 033 25792891/ 25497490 ■ Fax : 033 25299141
Laboratory : 189, 190 & 192, Rastraguru Avenue, Kolkata -700028 ■ Ph. 033 25792889
E-mail : info@envirocheck.in / envirocheck50@gmail.com ■ Website : www.envirocheck.in
Branch Office : Siliguri ■ Haldia ■ Durgapur ■ Dhanbad ■ Gangtok ■ Port Blair ■ Dehradun ■ New Delhi



ENVIROCHECK

Recognised by MoEF&CC, WBPCB & JSPCB
Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018



TEST REPORT

FORMAT NO : ENV/FM/37

Name of the Industry	:	Subham Oils & Resins Pvt. Ltd.	Type of Industry	:	Alkyd & Synthetic Resin Mfg. Unit
Address	:	Vill. + P.O. - Surjopur, P.S. - Titagarh, Dist. - 24 Pgs.(N) - 700121	Sampling Date	:	29.03.2024 - 30.03.2024
			Period of Analysis	:	30.03.2024 - 01.04.2024
			Date of Issue	:	03.04.2024
Sampling Plan & Procedure	:	ENV/SOP/01	Deviation from the Sampling Method and Plan	:	No
Sample Condition	:	Sealed	Sample ID No.	:	ENV/421/March/M/A/IV
			Report No.	:	ENV/421/March/M/TR(A)/IV/23-24

A] GENERAL INFORMATION

1. Location of Sampling : Near Main Gate
2. Duration of Sampling : 24 hrs. (09:00 a.m. - 09:00 a.m.)

B] METEOROLOGICAL INFORMATION

1. Average Temperature (°C) : 26.0
2. Average Relative Humidity (%) : 70.0
3. Barometric Pressure (mm of Hg) : 757.0
4. Smell or Odour : No Remarkable Smell
5. Weather Condition : Clear

C] RESULTS

SL. NO.	PARAMETERS	UNIT	METHOD NO.	RESULTS	LIMIT
1.	Concentration of PM _{2.5}	µg/m ³	IS 5182 (Part 24) : 2019	50.46	60.0
2.	Concentration of PM ₁₀	µg/m ³	IS 5182 (PART 23) : 2019	81.82	100.0
3.	Concentration of SO ₂	µg/m ³	IS 5182 (Part 2) 2017 & ASTM D 2914-01, Sec. 11 (Vol. 11.07) : 2017	6.80	80.0
4.	Concentration of NO ₂	µg/m ³	IS 5182 (Part 6) 2017 & ASTM D 1607-91 : Sec. 11 (Vol. 11.07) : 2018	31.62	80.0
5.	Concentration of CO	mg/m ³	IS 5182 (Part 10) : 2019	0.26	2.0
6.	Concentration of Pb	µg/m ³	IS 5182 (Part 22) : 2019	<0.01	1.0
7.	Benzo (a) Pyrene (BaP)	ng/m ³	IS 5182 (Part 12) : 2019 & ASTM D 6209-98, Sec. 11 (Vol. 11.07) : 2021/ASTM D 6209-98, Sec. 11 (Vo. 11.07) : 2021	<0.36	1.0
8.	Benzene (C ₆ H ₆)	µg/m ³	IS 5182 (Part 11) 2017 & ASTM D 6209-98, Sec. 11 (Vol. 11.07) : 2021	<0.74	5.0
9.	Ozone (O ₃)	µg/m ³	IS 5182 (Part-9) : 2019	28.0	100.0
10.	Ammonia (NH ₃)	µg/m ³	IS 5182 (Part 25) : 2018	<4.18	400.0
11.	Nickel (Ni)	ng/m ³	EPA IO 3.2, 1999	<0.02	20.0
12.	Arsenic (As)	ng/m ³	EPA IO 3.2, 1999 & APHA 23 rd Ed 3114C : 2017	<0.01	6.0

Remarks : Limit as per National Ambient Air Quality Standards Central Pollution Control Board Notification, New Delhi, the 18th November, 2009.
: Result relates only to the sample tested.

Reviewed By :

DURBADAL CHAKRABORTY
Dy. Quality Manager

Authorised Signatory :

Dr. SUMIT CHOWDHURY
Technical Manager

H.O. : 63/B, Rastraguru Avenue, Kolkata -700028 ■ Ph. 033 25792891/ 25497490 ■ Fax : 033 25299141
Laboratory : 189, 190 & 192, Rastraguru Avenue, Kolkata -700028 ■ Ph. 033 25792889
E-mail : info@envirocheck.in / envirocheck50@gmail.com ■ Website : www.envirocheck.in
Branch Office : Siliguri ■ Haldia ■ Durgapur ■ Dhanbad ■ Gangtok ■ Port Blair ■ Dehradun ■ New Delhi



ENVIROCHECK

Recognised by MoEF&CC, WBPCB & JSPCB
Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018



TEST REPORT

FORMAT NO : ENV/FM/37

Name of the Industry	:	Subham Oils & Resins Pvt. Ltd.	Type of Industry	:	Alkyd & Synthetic Resin Mfg. Unit
Address	:	Vill. + P.O. - Surjopur, P.S. - Titagarh, Dist. - 24 Pgs.(N) - 700121	Sampling Date	:	29.03.2024 - 30.03.2024
			Period of Analysis	:	30.03.2024 - 01.04.2024
			Date of Issue	:	03.04.2024
Sampling Plan & Procedure	:	ENV/SOP/01	Deviation from the Sampling Method and Plan	:	No
Sample Condition	:	Sealed	Sample ID No.	:	ENV/421/March/M/A/V
			Report No.	:	ENV/421/March/M/TR(A)/V/23-24

A] GENERAL INFORMATION

1. Location of Sampling : Near Administrative Building
2. Duration of Sampling : 24 hrs. (09:30 a.m. - 09:30 a.m.)

B] METEOROLOGICAL INFORMATION

1. Average Temperature (°C) : 27.0
2. Average Relative Humidity (%) : 72.0
3. Barometric Pressure (mm of Hg) : 757.0
4. Smell or Odour : No Remarkable Smell
5. Weather Condition : Clear

C] RESULTS

SL. NO.	PARAMETERS	UNIT	METHOD NO.	RESULTS	LIMIT
1.	Concentration of PM _{2.5}	µg/m ³	IS 5182 (Part 24) : 2019	49.52	60.0
2.	Concentration of PM ₁₀	µg/m ³	IS 5182 (PART 23) : 2019	79.18	100.0
3.	Concentration of SO ₂	µg/m ³	IS 5182 (Part 2) 2017 & ASTM D 2914-01, Sec. 11 (Vol. 11.07) : 2017	6.46	80.0
4.	Concentration of NO ₂	µg/m ³	IS 5182 (Part 6) 2017 & ASTM D 1607-91 : Sec. 11 (Vol. 11.07) : 2018	30.82	80.0
5.	Concentration of CO	mg/m ³	IS 5182 (Part 10) : 2019	0.25	2.0
6.	Concentration of Pb	µg/m ³	IS 5182 (Part 22) : 2019	<0.01	1.0
7.	Benzo (a) Pyrene (BaP)	ng/m ³	IS 5182 (Part 12) : 2019 & ASTM D 6209-98, Sec. 11 (Vol. 11.07) : 2021/ASTM D 6209-98, Sec. 11 (Vo. 11.07) : 2021	<0.36	1.0
8.	Benzene (C ₆ H ₆)	µg/m ³	IS 5182 (Part 11) 2017 & ASTM D 6209-98, Sec. 11 (Vol. 11.07) : 2021	<0.74	5.0
9.	Ozone (O ₃)	µg/m ³	IS 5182 (Part-9) : 2019	26.0	100.0
10.	Ammonia (NH ₃)	µg/m ³	IS 5182 (Part 25) : 2018	<4.18	400.0
11.	Nickel (Ni)	ng/m ³	EPA IO 3.2, 1999	<0.02	20.0
12.	Arsenic (As)	ng/m ³	EPA IO 3.2, 1999 & APHA 23 rd Ed 3114C : 2017	<0.01	6.0

Remarks : Limit as per National Ambient Air Quality Standards Central Pollution Control Board Notification, New Delhi, the 18th November, 2009.
: Result relates only to the sample tested.

Reviewed By :

DURBADAL CHAKRABORTY
Dy. Quality Manager

Authorised Signatory :

Dr. SUMIT CHOWDHURY
Technical Manager

H.O. : 63/B, Rastraguru Avenue, Kolkata -700028 ■ Ph. 033 25792891/ 25497490 ■ Fax : 033 25299141
Laboratory : 189, 190 & 192, Rastraguru Avenue, Kolkata -700028 ■ Ph. 033 25792889
E-mail : info@envirocheck.in / envirocheck50@gmail.com ■ Website : www.envirocheck.in
Branch Office : Siliguri ■ Haldia ■ Durgapur ■ Dhanbad ■ Gangtok ■ Port Blair ■ Dehradun ■ New Delhi



ENVIROCHECK

Recognised by MoEF&CC, WBPCB & JSPCB
Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018



TEST REPORT

FORMAT NO : ENV/FM/37

Name of the Industry	:	Subham Oils & Resins Pvt. Ltd.	Type of Industry	:	Alkyd & Synthetic Resin Mfg. Unit
Address	:	Vill. + P.O. - Surjopur, P.S. - Titagarh, Dist. - 24 Pgs.(N) - 700121	Sampling Date	:	29.03.2024 - 30.03.2024
			Period of Analysis	:	30.03.2024 - 01.04.2024
			Date of Issue	:	03.04.2024
Sampling Plan & Procedure	:	ENV/SOP/01	Deviation from the Sampling Method and Plan	:	No
Sample Condition	:	Sealed	Sample ID No.	:	ENV/421/March/M/A/VI
			Report No.	:	ENV/421/March/M/TR(A)/VI/23-24

A] GENERAL INFORMATION

1. Location of Sampling : Back Side of the Plant
2. Duration of Sampling : 24 hrs. (10:00 a.m. - 10:00 a.m.)

B] METEOROLOGICAL INFORMATION

1. Average Temperature (°C) : 26.0
2. Average Relative Humidity (%) : 70.0
3. Barometric Pressure (mm of Hg) : 757.0
4. Smell or Odour : No Remarkable Smell
5. Weather Condition : Clear

C] RESULTS

SL. NO.	PARAMETERS	UNIT	METHOD NO.	RESULTS	LIMIT
1.	Concentration of PM _{2.5}	µg/m ³	IS 5182 (Part 24) : 2019	47.82	60.0
2.	Concentration of PM ₁₀	µg/m ³	IS 5182 (PART 23) : 2019	77.38	100.0
3.	Concentration of SO ₂	µg/m ³	IS 5182 (Part 2) 2017 & ASTM D 2914-01, Sec. 11 (Vol. 11.07) : 2017	6.20	80.0
4.	Concentration of NO ₂	µg/m ³	IS 5182 (Part 6) 2017 & ASTM D 1607-91 : Sec. 11 (Vol. 11.07) : 2018	30.74	80.0
5.	Concentration of CO	mg/m ³	IS 5182 (Part 10) : 2019	0.24	2.0
6.	Concentration of Pb	µg/m ³	IS 5182 (Part 22) : 2019	<0.01	1.0
7.	Benzo (a) Pyrene (BaP)	ng/m ³	IS 5182 (Part 12) : 2019 & ASTM D 6209-98, Sec. 11 (Vol. 11.07) : 2021/ASTM D 6209-98, Sec. 11 (Vo. 11.07) : 2021	<0.36	1.0
8.	Benzene (C ₆ H ₆)	µg/m ³	IS 5182 (Part 11) 2017 & ASTM D 6209-98, Sec. 11 (Vol. 11.07) : 2021	<0.74	5.0
9.	Ozone (O ₃)	µg/m ³	IS 5182 (Part-9) : 2019	26.0	100.0
10.	Ammonia (NH ₃)	µg/m ³	IS 5182 (Part 25) : 2018	<4.18	400.0
11.	Nickel (Ni)	ng/m ³	EPA IO 3.2, 1999	<0.02	20.0
12.	Arsenic (As)	ng/m ³	EPA IO 3.2, 1999 & APHA 23 rd Ed 3114C : 2017	<0.01	6.0

Remarks : Limit as per National Ambient Air Quality Standards Central Pollution Control Board Notification, New Delhi, the 18th November, 2009.
: Result relates only to the sample tested.

Reviewed By :

DURBADAL CHAKRABORTY
Dy. Quality Manager

Authorised Signatory :

Dr. SUMIT CHOWDHURY
Technical Manager

H.O. : 63/B, Rastraguru Avenue, Kolkata -700028 ■ Ph. 033 25792891/ 25497490 ■ Fax : 033 25299141
Laboratory : 189, 190 & 192, Rastraguru Avenue, Kolkata -700028 ■ Ph. 033 25792889
E-mail : info@envirocheck.in / envirocheck50@gmail.com ■ Website : www.envirocheck.in
Branch Office : Siliguri ■ Haldia ■ Durgapur ■ Dhanbad ■ Gangtok ■ Port Blair ■ Dehradun ■ New Delhi



ENVIROCHECK

Recognised by MoEF&CC, WBPCB & JSPCB
Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018



TEST REPORT

FORMAT NO : ENV/FM/37

Name of the Industry	:	Subham Oils & Resins Pvt. Ltd.	Type of Industry	:	Alkyd & Synthetic Resin Mfg. Unit
Address	:	Vill. + P.O. – Surjopur, P.S. – Titagarh, Dist. – 24 Pgs.(N) – 700121	Sampling Date	:	29.03.2024 – 30.03.2024
			Period of Analysis	:	30.03.2024 – 01.04.2024
			Date of Issue	:	03.04.2024
Sampling Plan & Procedure	:	ENV/SOP/01	Deviation from the Sampling Method and Plan	:	No
Sample Condition	:	Sealed	Sample ID No.	:	ENV/421/March/M/A/VII
			Report No.	:	ENV/421/March/M/TR(A)/VII/23-24
			Type of Sample	:	Ambient Air

A] GENERAL INFORMATION

1. Location of Sampling : East Side of the Village
2. Duration of Sampling : 24 hrs. (10:30 a.m. – 10:30 a.m.)

B] METEOROLOGICAL INFORMATION

1. Average Temperature (°C) : 25.0
2. Average Relative Humidity (%) : 68.0
3. Barometric Pressure (mm of Hg) : 757.0
4. Smell or Odour : No Remarkable Smell
5. Weather Condition : Clear

C] RESULTS

SL. NO.	PARAMETERS	UNIT	METHOD NO.	RESULTS	LIMIT
1.	Concentration of PM _{2.5}	µg/m ³	IS 5182 (Part 24) : 2019	47.34	60.0
2.	Concentration of PM ₁₀	µg/m ³	IS 5182 (PART 23) : 2019	78.12	100.0
3.	Concentration of SO ₂	µg/m ³	IS 5182 (Part 2) 2017 & ASTM D 2914-01, Sec. 11 (Vol. 11.07) : 2017	6.40	80.0
4.	Concentration of NO ₂	µg/m ³	IS 5182 (Part 6) 2017 & ASTM D 1607-91 : Sec. 11 (Vol. 11.07) : 2018	31.32	80.0
5.	Concentration of CO	mg/m ³	IS 5182 (Part 10) : 2019	0.23	2.0
6.	Concentration of Pb	µg/m ³	IS 5182 (Part 22) : 2019	<0.01	1.0
7.	Benzo (a) Pyrene (BaP)	ng/m ³	IS 5182 (Part 12) : 2019 & ASTM D 6209-98, Sec. 11 (Vol. 11.07) : 2021/ASTM D 6209-98, Sec. 11 (Vo. 11.07) : 2021	<0.36	1.0
8.	Benzene (C ₆ H ₆)	µg/m ³	IS 5182 (Part 11) 2017 & ASTM D 6209-98, Sec. 11 (Vol. 11.07) : 2021	<0.74	5.0
9.	Ozone (O ₃)	µg/m ³	IS 5182 (Part-9) : 2019	27.0	100.0
10.	Ammonia (NH ₃)	µg/m ³	IS 5182 (Part 25) : 2018	<4.18	400.0
11.	Nickel (Ni)	ng/m ³	EPA IO 3.2, 1999	<0.02	20.0
12.	Arsenic (As)	ng/m ³	EPA IO 3.2, 1999 & APHA 23 rd Ed 3114C : 2017	<0.01	6.0

Remarks : Limit as per National Ambient Air Quality Standards Central Pollution Control Board Notification, New Delhi, the 18th November, 2009.
: Result relates only to the sample tested.

Reviewed By :

DURBADAL CHAKRABORTY
Dy. Quality Manager

Authorised Signatory :

Dr. SUMIT CHOWDHURY
Technical Manager

H.O. : 63/B, Rastraguru Avenue, Kolkata -700028 ■ Ph. 033 25792891/ 25497490 ■ Fax : 033 25299141
Laboratory : 189, 190 & 192, Rastraguru Avenue, Kolkata -700028 ■ Ph. 033 25792889
E-mail : info@envirocheck.in / envirocheck50@gmail.com ■ Website : www.envirocheck.in
Branch Office : Siliguri ■ Haldia ■ Durgapur ■ Dhanbad ■ Gangtok ■ Port Blair ■ Dehradun ■ New Delhi



ENVIROCHECK

Recognised by MoEF&CC, WBPCB & JSPCB
Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018



TEST REPORT

FORMAT NO : ENV/FM/57

Name of the Industry	:	Subham Oils & Resins Pvt. Ltd.	Type of Industry	:	Alkyd & Synthetic Resin Mfg. Unit
Address	:	Vill. + P.O. – Surjopur, P.S. – Titagarh, Dist. – 24 Pgs.(N) – 700121	Sampling Date	:	29.03.2024
			Period of Analysis	:	30.03.2024 – 01.04.2024
			Date of Issue	:	03.04.2024
Sampling Plan & Procedure	:	ENV/SOP/01	Deviation from the Sampling Method and Plan	:	No
Sample Condition	:	Sealed	Sample ID No.	:	ENV/421/March/M/A/VIII
			Report No.	:	ENV/421/March/M/TR(A)/VIII/23-24
			Type of Sample	:	Work Zone Air

A] GENERAL INFORMATION

1. Location of Sampling : Inside the Store
2. Duration of Sampling : 08 hrs. (10:20 a.m. – 06:20 p.m.)

B] METEOROLOGICAL INFORMATION

1. Average Temperature (°C) : 27.0
2. Average Relative Humidity (%) : 74.0
3. Barometric Pressure (mm of Hg) : 757.0
4. Smell or Odour : No Remarkable Smell

C] RESULT

SL. NO.	PARAMETER	UNIT	METHOD NO.	RESULT	LIMIT
1.	Concentration of SPM	µg/m ³	IS 5182 (Part 4) : 2019	122.0	5000.0

Remarks : Limit as per The Factory Act – 1948.
: Result relates only to the sample tested.

Reviewed By :

DURBADAL CHAKRABORTY
Dy. Quality Manager

Authorised Signatory :

Dr. SUMIT CHOWDHURY
Technical Manager

H.O. : 63/B, Rastraguru Avenue, Kolkata -700028 ■ Ph. 033 25792891/ 25497490 ■ Fax : 033 25299141
Laboratory : 189, 190 & 192, Rastraguru Avenue, Kolkata -700028 ■ Ph. 033 25792889
E-mail : info@envirocheck.in / envirocheck50@gmail.com ■ Website : www.envirocheck.in
Branch Office : Siliguri ■ Haldia ■ Durgapur ■ Dhanbad ■ Gangtok ■ Port Blair ■ Dehradun ■ New Delhi



ENVIROCHECK

Recognised by MoEF&CC, WBPCB & JSPCB
Accredited by NABL (ISO/IEC 17025:2017)
Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018



TEST REPORT

FORMAT NO : ENV/FM/57

Name of the Industry	:	Subham Oils & Resins Pvt. Ltd.	Type of Industry	:	Alkyd & Synthetic Resin Mfg. Unit
Address	:	Vill. + P.O. – Surjopur, P.S. – Titagarh, Dist. – 24 Pgs.(N) – 700121	Sampling Date	:	29.03.2024
			Period of Analysis	:	30.03.2024 – 01.04.2024
			Date of Issue	:	03.04.2024
Sampling Plan & Procedure	:	ENV/SOP/01	Deviation from the Sampling Method and Plan	:	No
Sample Condition	:	Sealed	Sample ID No.	:	ENV/421/March/M/A/VIII
			Report No.	:	ENV/421/March/M/TR(A)/VIII/23-24
			Type of Sample	:	Work Zone Air

A] GENERAL INFORMATION

1. Location of Sampling : Inside the Store
2. Duration of Sampling : 08 hrs. (10:20 a.m. – 06:20 p.m.)

B] METEOROLOGICAL INFORMATION

1. Average Temperature (°C) : 27.0
2. Average Relative Humidity (%) : 74.0
3. Barometric Pressure (mm of Hg) : 757.0
4. Smell or Odour : No Remarkable Smell

C] RESULTS

SL. NO.	PARAMETERS	UNIT	METHOD NO.	RESULTS	LIMIT
1.	Concentration of RPM	µg/m ³	IS 5182 (PART 23) : 2019	74.56	N.A.
2.	Concentration of SO ₂	µg/m ³	IS 5182 (Part 2) 2017 & ASTM D 2914-01, Sec. 11 (Vol. 11.07) : 2017	6.0	N.A.
3.	Concentration of NO ₂	µg/m ³	IS 5182 (Part 6) 2017 & ASTM D 1607-91 : Sec. 11 (Vol. 11.07) : 2018	28.24	N.A.

Remarks : N.A. means Not Available.
: Result relates only to the sample tested.

Reviewed By :

DURBADAL CHAKRABORTY
Dy. Quality Manager

Authorised Signatory :

Dr. SUMIT CHOWDHURY
Technical Manager

H.O. : 63/B, Rastraguru Avenue, Kolkata -700028 ■ Ph. 033 25792891/ 25497490 ■ Fax : 033 25299141
Laboratory : 189, 190 & 192, Rastraguru Avenue, Kolkata -700028 ■ Ph. 033 25792889
E-mail : info@envirocheck.in / envirocheck50@gmail.com ■ Website : www.envirocheck.in
Branch Office : Siliguri ■ Haldia ■ Durgapur ■ Dhanbad ■ Gangtok ■ Port Blair ■ Dehradun ■ New Delhi
Overseas : UAE ■ Qatar ■ Netherlands



ENVIROCHECK

Recognised by MoEF&CC, WBPCB & JSPCB
Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018



TEST REPORT

FORMAT NO : ENV/FM/57

Name of the Industry	:	Subham Oils & Resins Pvt. Ltd.	Type of Industry	:	Alkyd & Synthetic Resin Mfg. Unit
Address	:	Vill. + P.O. - Surjopur, P.S. - Titagarh, Dist. - 24 Pgs.(N) - 700121	Sampling Date	:	29.03.2024
			Period of Analysis	:	30.03.2024 - 01.04.2024
			Date of Issue	:	03.04.2024
Sampling Plan & Procedure	:	ENV/SOP/01	Deviation from the Sampling Method and Plan	:	No
Sample Condition	:	Sealed	Sample ID No.	:	ENV/421/March/M/A/IX
			Report No.	:	ENV/421/March/M/TR(A)/IX/23-24
			Type of Sample	:	Work Zone Air

A] GENERAL INFORMATION

1. Location of Sampling : Inside the Processing Store
2. Duration of Sampling : 08 hrs. (10:10 a.m. - 06:10 p.m.)

B] METEOROLOGICAL INFORMATION

1. Average Temperature (°C) : 27.0
2. Average Relative Humidity (%) : 74.0
3. Barometric Pressure (mm of Hg) : 757.0
4. Smell or Odour : No Remarkable Smell

C] RESULT

SL. NO.	PARAMETER	UNIT	METHOD NO.	RESULT	LIMIT
1.	Concentration of SPM	µg/m ³	IS 5182 (Part 4) : 2019	118.08	5000.0

Remarks : Limit as per The Factory Act - 1948.
: Result relates only to the sample tested.

Reviewed By :

DURBADAL CHAKRABORTY
Dy. Quality Manager

Authorised Signatory :

Dr. SUMIT CHOWDHURY
Technical Manager

H.O. : 63/B, Rastraguru Avenue, Kolkata -700028 ■ Ph. 033 25792891/ 25497490 ■ Fax : 033 25299141
Laboratory : 189, 190 & 192, Rastraguru Avenue, Kolkata -700028 ■ Ph. 033 25792889
E-mail : info@envirocheck.in / envirocheck50@gmail.com ■ Website : www.envirocheck.in
Branch Office : Siliguri ■ Haldia ■ Durgapur ■ Dhanbad ■ Gangtok ■ Port Blair ■ Dehradun ■ New Delhi



ENVIROCHECK

Recognised by MoEF&CC, WBPCB & JSPCB
Accredited by NABL (ISO/IEC 17025:2017)
Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018



TEST REPORT

FORMAT NO : ENV/FM/57

Name of the Industry	:	Subham Oils & Resins Pvt. Ltd.	Type of Industry	:	Alkyd & Synthetic Resin Mfg. Unit
Address	:	Vill. + P.O. - Surjopur, P.S. - Titagarh, Dist. - 24 Pgs.(N) - 700121	Sampling Date	:	29.03.2024
			Period of Analysis	:	30.03.2024 - 01.04.2024
			Date of Issue	:	03.04.2024
Sampling Plan & Procedure	:	ENV/SOP/01	Deviation from the Sampling Method and Plan	:	No
Sample Condition	:	Sealed	Sample ID No.	:	ENV/421/March/M/A/IX
			Report No.	:	ENV/421/March/M/TR(A)/IX/23-24

A] GENERAL INFORMATION

1. Location of Sampling : Inside the Processing Store
2. Duration of Sampling : 08 hrs. (10:10 a.m. - 06:10 p.m.)

B] METEOROLOGICAL INFORMATION

1. Average Temperature (°C) : 27.0
2. Average Relative Humidity (%) : 74.0
3. Barometric Pressure (mm of Hg) : 757.0
4. Smell or Odour : No Remarkable Smell

C] RESULTS

SL. NO.	PARAMETERS	UNIT	METHOD NO.	RESULTS	LIMIT
1.	Concentration of RPM	µg/m ³	IS 5182 (PART 23) : 2019	78.12	N.A.
2.	Concentration of SO ₂	µg/m ³	IS 5182 (Part 2) 2017 & ASTM D 2914-01, Sec. 11 (Vol. 11.07) : 2017	6.91	N.A.
3.	Concentration of NO ₂	µg/m ³	IS 5182 (Part 6) 2017 & ASTM D 1607-91 : Sec. 11 (Vol. 11.07) : 2018	30.40	N.A.

Remarks : N.A. means Not Available.
: Result relates only to the sample tested.

Reviewed By :

DURBADAL CHAKRABORTY
Dy. Quality Manager

Authorised Signatory :

Dr. SUMIT CHOWDHURY
Technical Manager

<End of Report>

H.O. : 63/B, Rastraguru Avenue, Kolkata -700028 ■ Ph. 033 25792891/ 25497490 ■ Fax : 033 25299141
Laboratory : 189, 190 & 192, Rastraguru Avenue, Kolkata -700028 ■ Ph. 033 25792889
E-mail : info@envirocheck.in / envirocheck50@gmail.com ■ Website : www.envirocheck.in
Branch Office : Siliguri ■ Haldia ■ Durgapur ■ Dhanbad ■ Gangtok ■ Port Blair ■ Dehradun ■ New Delhi
Overseas : UAE ■ Qatar ■ Netherlands

Annexure – 2



ENVIROCHECK

Recognised by MoEF&CC, WBPCB & JSPCB
Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018



FORMAT NO. ENV/FM/40

TEST REPORT

Name of the Industry	:	Subham Oils & Resins Pvt. Ltd.	Type of Industry	:	Alkyd & Synthetic Resin Mfg. Unit
Address	:	Vill. + P.O. – Surjopur, P.S. – Titagarh, Dist. – 24 Pgs.(N) – 700121	Sampling Date	:	29.03.2024
			Period of Analysis	:	30.03.2024 – 04.04.2024
			Date of Issue	:	06.04.2024
Sampling Plan & Procedure	:	ENV/SOP/01	Deviation from the Sampling Method and Plan	:	No
			Type of Sample	:	Industrial Effluent Water (Grab)
Location	:	E.T.P Inlet	Sample Condition	:	Sealed
Report No.	:	ENV/718/March/TR(W)/I/23-24	Sample ID No.	:	ENV/718/March/W/I

SL. NO.	PARAMETERS	TEST METHOD	UNIT	RESULTS
1.	pH	4500 H+B APHA 23 rd Edition, 2017	--	6.20
2.	Total Suspended Solids	2540 D APHA 23 rd Edition, 2017	mg/l	140.0
3.	Oil & Grease	5520 B/D APHA 23 rd Edition, 2017	mg/l	16.0
4.	Chemical Oxygen Demand	5200 B/C/D APHA 23 rd Edition, 2017	mg/l	1280.0
5.	Biochemical Oxygen Demand for 5 days at 20°C	5210 B APHA 23 rd Edition, 2017	mg/l	310.0

Remarks : a) Result relates only to the sample tested.

b) Sample collected by Envirocheck and sent to lab for testing in sealed condition.

Reviewed By :

DURBADAL CHAKRABORTY
Dy. Quality Manager

Authorised Signatory :

Dr. SUMIT CHOWDHURY
Technical Manager

H.O. : 63/B, Rastraguru Avenue, Kolkata -700028 ■ Ph. 033 25792891/ 25497490 ■ Fax : 033 25299141
Laboratory : 189, 190 & 192, Rastraguru Avenue, Kolkata -700028 ■ Ph. 033 25792889
E-mail : info@envirocheck.in / envirocheck50@gmail.com ■ Website : www.envirocheck.in
Branch Office : Siliguri ■ Haldia ■ Durgapur ■ Dhanbad ■ Gangtok ■ Port Blair ■ Dehradun ■ New Delhi



ENVIROCHECK

Recognised by MoEF&CC, WBPCB & JSPCB
Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018



FORMAT NO. ENV/FM/40

TEST REPORT

Name of the Industry	:	Subham Oils & Resins Pvt. Ltd.	Type of Industry	:	Alkyd & Synthetic Resin Mfg. Unit
Address	:	Vill. + P.O. – Surjopur, P.S. – Titagarh, Dist. – 24 Pgs.(N) – 700121	Sampling Date	:	29.03.2024
			Period of Analysis	:	30.03.2024 – 04.04.2024
			Date of Issue	:	06.04.2024
Sampling Plan & Procedure	:	ENV/SOP/01	Deviation from the Sampling Method and Plan	:	No
			Type of Sample	:	Industrial Effluent Water (Grab)
Location	:	E.T.P Outlet	Sample Condition	:	Sealed
Report No.	:	ENV/718/March/TR(W)/II/23-24	Sample ID No.	:	ENV/718/March/W/II

SL. NO.	PARAMETERS	TEST METHOD	UNIT	RESULTS	LIMIT
1.	pH	4500 H+B APHA 23 rd Edition, 2017	--	6.90	5.5 – 9.0
2.	Total Suspended Solids	2540 D APHA 23 rd Edition, 2017	mg/l	30.0	100.0
3.	Oil & Grease	5520 B/D APHA 23 rd Edition, 2017	mg/l	4.50	10.0
4.	Chemical Oxygen Demand	5200 B/C/D APHA 23 rd Edition, 2017	mg/l	80.0	250.0
5.	Biochemical Oxygen Demand for 5 days at 20°C	5210 B APHA 23 rd Edition, 2017	mg/l	26.0	30.0

Remarks : a) Limit as per Schedule VI inserted by Rule 2(d) of the Environment (Protection) Second Amendment Rules, 1993 notified vide G.S.R. 422(E) dated 19.05.1993, published in the Gazette No. 174 dated 19.05.1993.

b) Result relates only to the sample tested.

c) Sample collected by Envirocheck and sent lab for testing in sealed condition.

Reviewed By :

DURBADAL CHAKRABORTY
Dy. Quality Manager

Authorised Signatory :

Dr. SUMIT CHOWDHURY
Technical Manager

<End of Report>

H.O. : 63/B, Rastraguru Avenue, Kolkata -700028 ■ Ph. 033 25792891/ 25497490 ■ Fax : 033 25299141
Laboratory : 189, 190 & 192, Rastraguru Avenue, Kolkata -700028 ■ Ph. 033 25792889
E-mail : info@envirocheck.in / envirocheck50@gmail.com ■ Website : www.envirocheck.in
Branch Office : Siliguri ■ Haldia ■ Durgapur ■ Dhanbad ■ Gangtok ■ Port Blair ■ Dehradun ■ New Delhi

Annexure – 3



ENVIROCHECK

Recognised by MoEF&CC, WBPCB & JSPCB
Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018



FORMAT NO. ENV/FM/53

TEST REPORT

• Name of Industry / Company / Factory / Office	:	Subham Oils & Resins Pvt. Ltd.			
• Address	:	Vill. - Iswaripur P.O – Surjopur, P.S– Titagarh, District – North 24 Parganas, Pin -700121			
• Type of Industry	:	Alkyd & Synthetic Resin Manufacturing Unit			
• Sampling Plan & Procedure	:	ENV/SOP/02			
• Deviation from the Sampling Method & Plan	:	No			
• Type of Sample	:	Noise Level Study			
• Sample ID	:	ENV/422/M	Report ID	:	ENV/422/M/(TR)N/ 23-24
• Date of Study	:	29/03/2024	Reporting Date	:	01/04/2024
• Method No.	:	IS 15575 (Part 2), 2022	Time of Duration of Noise	:	20 Minutes
• Sample Monitored by	:	Mr. Sujoy Dasgupta	Height from Ground Level	:	4 Feet.

RESULT OF NOISE LEVEL STUDY

Sl. No.	Location Name	dB (A) - (Noise Data)										Time (Hours)	Min dB (A)	Max dB (A)	L _{eq} dB (A)	Limit in LeqdB(A)
1.	Near Store Room	61.9	62.5	63.1	61.6	62.6	63.7	64.5	64.8	65.4	64.7	11:00 - 11:20 A.M (Day Time)	61.6	65.4	63.66	A. Industrial Area (Day Time - 75.0) (Night Time - 70.0)
2.	Near Store Room	45.6	46.3	47.8	48.4	49.1	51.7	52.8	51.1	50.9	49.7	10:30 - 10:50 P.M (Night Time)	45.6	52.8	49.88	B. Commercial Area (Day Time - 65.0) (Night Time - 55.0)
3.	Near D.G Room	70.3	70.8	69.6	69.9	70.1	70.6	71.1	71.7	72.5	72.8	01:00 - 01:20 P.M (Day Time)	69.6	72.8	71.07	C. Residential Area (Day Time - 55.0) (Night Time - 45.0)
4.	Near D.G Room	59.9	60.5	61.6	61.8	59.6	61.4	62.8	63.2	62.2	62.7	11:00 - 11:20 P.M (Night Time)	59.6	63.2	61.72	D. Silent Zone (Day Time - 50.0) (Night Time - 40.0)

> End of Report <

** Remarks : Result relates only to the Sample Tested.

** Mean of L _{eq} - Equivalent to Sound Energy		** Central Pollution Control Board, Ministry of Environment & Forests Government of India & Department of Environment, Government of West Bengal	
		**Day Time is reckoned in between 6:00 A.M & 10:00 P.M	**Night Time is reckoned in between 10:00 P.M & 6:00 A.M
PERMISSIBLE NOISE EXPOSURE FOR INDUSTRIAL WORKERS / Source : The Noise Pollution (Regulation and Control) Rules, 2000			
Hours	Limit in dB(A)		
8	90		
4	93		
2	96		
1	99		
1/2	102		
1/4	105		
1/8	108		
1/16	111		
1/32	114		
(2 minutes or less)	-		

Reviewed By:

Dy. Quality Manager

Authorized Signatory:

Quality Manager

Annexure – 4

Outlet No.	Nature of effluent	Parameters and standard (in mg/l. max)								Frequency of effluent sampling
		pH	BOD	COD	TSS	O & G				
1&2	Industrial	5.5	30	250	100	10	-	-	-	Yearly
	& Domestic	to 9.0	-	-	-	-	-	-	-	

(2)

07. This Applicant shall provide comprehensive pollution control equipment and operate and maintain the same continuously to conform the quality of the final gaseous emission to the Standard as given below :

Stack No.	Stack height from G.L. (in mts.)	Stack attached to (sources and control system, if any)	Volume Nm ³ /hr	Velocity of gaseous emission (mg/sec)	Concentrations of parameters not to exceed				Frequency of sampling
					SPM (mg./Nm ³)	CO (% v/v)			
S-1	30	02x400000 kcal/hr T.F.H			150	1%	-	-	Yearly
S-2	30	02 nos. Reaction kettle (10 Ton/batch)			150	1%	-	-	-do-
S-3									
S-4	08	01x5 KVA D.G. Set		-	150	1%	-	-	-do-

08. The Applicant shall maintain the generation and treatment/disposal of non-hazardous solid waste as specified below.

Type of waste	Quantity	Treatment	Disposal
Sludge	2.50 kg/day	-	to be disposed of as per hazardous and other wastes (Management & Transboundary)

09. The Applicant shall take adequate measures for control of noise levels from its own sources within its premises to conform to Management Rules, 2016.

Time	Limit in dB (A) L _{eq}	Time	Limit in dB (A) L _{eq}
Day time (06 a.m. to 10 p.m.)	65	Night Time (10 p.m. to 06 a.m.)	55

10. The Applicant shall remain responsible for quantity and quality of liquid effluent and air emissions and shall furnish to the State Board all information in respect of quality, quantity, rate of discharge, place of discharge of liquid effluent and air emissions.

11. The Applicant shall at all times maintain good house-keeping, proper working order, control pollution (including fugitive emissions) from all sources to maintain clean environment in & around factory premises and to surrounding areas/inhabitants.

12. The Applicant shall bring about at least 33% of the available open land under the green coverage/ plantation.

13. The Applicant shall provide for sufficient alternate electric power source to operate all pollution control facilities. In absence of such alternate power source, the production should be stopped/reduced/controlled to conform the conditions of the Consent.

14. All the stacks connected to various sources of emissions must be painted/displayed to designate by numbers such as S-1, S-2 etc. and shall have ports, ladder, platform etc. for monitoring/sampling the air emissions and the same shall be made available for inspection and use by the State Board's staff as well as State Board's authorised agencies.

15. The Applicant shall install a separate energy meter showing the consumption of energy for operation of pollution control devices and shall install suitable device for measuring the volume of water consumed for different purposes as mentioned above giving correct result to the satisfaction of the State Board.

16. The Applicant shall allow the Officers of the State Board to enter into the premises of the unit at any reasonable time to inspect the pollution control systems and shall provide adequate and safe facility for collection of air, wastewater and solid waste samples for monitoring and measuring by the State Board's staff as well as State Board's authorised agencies.

17. The Applicant shall maintain an Inspection Book in the factory premises which shall be made available to inspecting officers of the State Board for inspection, review and to write down any direction or observation as is deemed necessary during the inspection.

18. The Applicant shall intimate to the State Board immediately of any occurrence or apprehension of occurrence of discharge of any pollutants in excess of quality and quantity as mentioned above to any receiving water body/system or to atmosphere owing to accident or other unforeseen incident/event including natural disaster and the Applicant shall take adequate steps to prevent such accidental event.

19. The Applicant shall apply for renewal of consent to State Board in prescribed form 60 (sixty) days before expiry of this Consent.

20. The Applicant shall not make any alteration/modification/expansion in the existing manufacturing process and equipment, pollution control system and shall not bring into any altered or new outlet/outfall or stack or change the place of discharge, without prior approval of the Board.

21. The Applicant shall comply with the conditions as laid down in the Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989, Hazardous Wastes (Management & Handling) Rules, 1989 and 'Public

Additional Conditions: 22) Consent to operate shall be revoked on receipt of valid Public complaint against the unit for causing environmental hazards.

For and on behalf of the Board

(Member Secretary/Chief Eng./Sr. Engr./Env. Engr./Asst. Eng./Engr./Sr. Scientist/Environmental Engineer)

W.R. Pollution Control Board



WEST BENGAL POLLUTION CONTROL BOARD

'Paribesh Bhawan' Bldg. No. 10A, Block-LA, Sector-III, Salt Lake City, Kolkata - 700 098

C079295 (Orange/Green Category Unit)



Memo Number: 43-NC/15/WPB/BR/1060/09

Date: 11/2/2022

Consent to Operate under Section 25 & 26 of the Water (Prevention and Control of Pollution) Act, 1974, and Section 21 of the Air (Prevention and Control of Pollution) Act, 1981.

The West Bengal Pollution Control Board (hereinafter referred to as State Board) under the provisions of Section 25 & 26 of the Water (Prevention and Control of Pollution) Act, 1974 as amended and Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 as amended, and Rules and Orders made thereunder hereby grants its Consent to:

M/s. Subham Oils & Resins Pvt. Ltd.

(hereinafter referred to as Applicant) for its unit located at Vill: Iswaripur, P.O. - Surjyapur, P.S. - Titagarh, Dist- 24 Pgs (N), Pin- 700121

(Detailed address of the manufacturing unit)

for a period from Date of issue to 30/09/2025 to operate the industrial unit and to discharge liquid effluent and to emit gaseous effluent from the premises/land of the industrial unit in accordance with the conditions as mentioned below provided on any day at any instance the quantity and quality of liquid discharge and gaseous emission shall not exceed the permissible limit as specified in this consent letter and as specified in the Environmental (Protection) Act, 1986.

Breach of the conditions and/or failure to comply with the directions as mentioned below shall render the applicant liable for prosecution under the provisions of the Water (Prevention and Control of Pollution) Act, 1974 and Air (Prevention and Control of Pollution) Act, 1981.

The State Board reserve the right to revoke, withdraw or make any reasonable variation/change/alter the conditions of this consent letter giving one month's notice to the applicant.

Conditions:

01. This Consent is valid for the manufacture of

Resin & allied chemical products
(Details in Annexure-I)

Sl. No.	Name of major products and by-products	Quantity produced per month	Sl. No.	Name of major products and by-products	Quantity produced per month
01.	—	—	03.	—	—
02.	—	—	04.	—	—

02. The Applicant shall observe the following fuel consumption pattern.

Sl. No.	Type of fuel	Quantity per day	Sl. No.	Type of fuel	Quantity per day	Sl. No.	Type of fuel	Quantity per day
01.	HSD	70 Lt/day	02.	—	—	03.	—	—

03. The Applicant falls in the Orange category of the Water (Prevention and Control of Pollution) Cess Act, 1977 and Rules made thereunder and shall comply with the provisions of said Act. and Rules and regularly submit to the Board the Returns of Water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.

04. Daily water consumption for the following purposes should not exceed.

Industrial cooling, spraying in mine pits and boiler feed water (water used for gardening should be included in this category of use)	Domestic purpose	Processing whereby water gets polluted and the pollutants are easily biodegradable	Processing whereby water gets polluted and the pollutants are not easily biodegradable
3 KL	0.5 KL	—	—

05. Daily discharge of effluent shall not exceed

	Industrial liquid effluent	Domestic liquid effluent	Mixed (industrial & domestic) liquid effluent
No. of outfalls	1	1	—
Quantity	0.350 KL	0.4 KL	— KL
Place of discharge	recycled after treatment in ETP	Gnam Panchayet Drain	—

06. The Applicant shall provide drainage system for conveying industrial & domestic liquid waste & separate drainage system for storm-water and shall provide comprehensive treatment facility for industrial and domestic liquid waste (sewage, sullage & liquid effluent generated from canteen) and operate and maintain the same to conform to the Standard for final effluent as given below.

Outlet No.	Nature of effluent	Parameters and standard (in mg/l. max)							Frequency of effluent sampling
		pH	BOD	COD	TSS	O & G	Phenolic compound	—	
01	Domestic	5.5 to 9.0	30	250	100	10	1	—	Yearly

07. This Applicant shall provide comprehensive pollution control equipment and operate and maintain the same continuously to conform the quality of the final gaseous emission to the Standard as given below :

Stack No.	Stack height from G.L. (in mts.)	Stack attached to (sources and control system, if any)	Volume Nm ³ /hr	Velocity of gaseous emission (mg/sec)	Concentrations of parameters not to exceed				Frequency of sampling
					SPM (mg./Nm ³)	CO (% v/v)			
S-1	7.0	01 X 125 KVA D.G. Set	—	—	150	1	—	—	Yearly
S-2	7.0	01 X 250 KVA D.G. Set	—	—	150	1	—	—	Yearly
S-3	30	01 X 600000 kcal/hr	—	—	150	1	—	—	Yearly
S-4		thermic fluid heater							

08. The Applicant shall maintain the generation and treatment/disposal of non-hazardous solid waste as specified below.

Type of waste	Quantity	Treatment	Disposal
Sludge	100 kg/Month	—	to be disposed off to WBWML, Haldia.

09. The Applicant shall take adequate measures for control of noise levels from its own sources within its premises to conform to

Time	Limit in dB (A) L _{eq}	Time	Limit in dB (A) L _{eq}
Day time (06 a.m. to 10 p.m.)	65	Night Time (10 p.m. to 06 a.m.)	55

10. The Applicant shall remain responsible for quantity and quality of liquid effluent and air emissions and shall furnish to the State Board all information in respect of quality, quantity, rate of discharge, place of discharge of liquid effluent and air emissions.

11. The Applicant shall at all times maintain good house-keeping, proper working order, control pollution (including fugitive emissions) from all sources to maintain clean environment in & around factory premises and to surrounding areas/inhabitants.

12. The Applicant shall bring about at least 33% of the available open land under the green coverage/ plantation.

13. The Applicant shall provide for sufficient alternate electric power source to operate all pollution control facilities. In absence of such alternate power source, the production should be stopped/reduced/controlled to conform the conditions of the Consent.

14. All the stacks connected to various sources of emissions must be painted/displayed to designate by numbers such as S-1, S-2 etc. and shall have ports, ladder, platform etc. for monitoring/sampling the air emissions and the same shall be made available for inspection and use by the State Board's staff as well as State Board's authorised agencies.

15. The Applicant shall install a separate energy meter showing the consumption of energy for operation of pollution control devices and shall install suitable device for measuring the volume of water consumed for different purposes as mentioned above giving correct result to the satisfaction of the State Board.

16. The Applicant shall allow the Officers of the State Board to enter into the premises of the unit at any reasonable time to inspect the pollution control systems and shall provide adequate and safe facility for collection of air, wastewater and solid waste samples for monitoring and measuring by the State Board's staff as well as State Board's authorised agencies.

17. The Applicant shall maintain an Inspection Book in the factory premises which shall be made available to inspecting officers of the State Board for inspection, review and to write down any direction or observation as is deemed necessary during the inspection.

18. The Applicant shall intimate to the State Board immediately of any occurrence or apprehension of occurrence of discharge of any pollutants in excess of quality and quantity as mentioned above to any receiving water body/system or to atmosphere owing to accident or other unforeseen incident/event including natural disaster and the Applicant shall take adequate steps to prevent such accidental event.

19. The Applicant shall apply for renewal of consent to State Board in prescribed form 60 (sixty) days before expiry of this Consent.

20. The Applicant shall not make any alteration/modification/expansion in the existing manufacturing process and equipment, pollution control system and shall not bring into any altered or new outlet/outfall or stack or change the place of discharge, without prior approval of the Board.

21. The Applicant shall comply with the conditions as laid down in the Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989, Hazardous Wastes (Management & Handling) Rules, 1989 and Public Liability insurance Act, 1991.

Additional Conditions : See Annexure - II

For and on behalf of the Board




(Member Secretary/Chief Engr./Sr. Env. Engr./Asst. Engr./Jr. Scientist)
W. B. Pollution Control Board
Operation & Execution Cell

Products List (Annexure- I)

Annexure to Consent Letter Number – **CO79295**

Additional Conditions issued to **M/s. Subham Oils & Resins Pvt. Ltd.** located at existing factory premises – Iswaripur, P.O-Surjopur, P.S-Titagarh, Dist- 24 Parganas(N), Pin -700121

Sl. No.	Products	Production capacity (TPA)
1.	Alkyd resin	4800
2.	Maleic resin	600
3.	Phenolic resin	300
4.	CNSL resin	920
5.	Acrylic resin	900
6.	Easter resin	300
7.	Polyamide resin	300
8.	Epoxy resin	380
9.	Acrylic emulsion	2400
10.	Pine & turpentine allied products	200
	Total	11100



Sr. Environmental Engineer
West Bengal Pollution Control Board

Sr. Environmental Engineer
W. B. Pollution Control Board
Operation & Execution Cell


Annexure-II to Consent Letter Number – CO79295.

Additional Conditions issued to **M/s. Subham Oils & Resins Pvt. Ltd.** located at existing factory premises – Iswaripur, P.O-Surjopur, P.S-Titagarh, Dist- 24 Parganas(N), Pin -700121

1. The unit shall abide by all other condition as mentioned in Environmental Clearance (EC) issued vide no. 1951/EN/T-II-1/042/2015 dated 05.09.2016 and NOC (CO79295) issued vide memo no.03-2N-14/2011 (E) dated 02.01.2019 in favour of the expansion project.
2. The unit should obtain all the statutory licenses as applicable from other concerned Govt. Department.
3. This consent may be revoked at any time on violation of environmental norms.
4. The unit shall submit a status of compliance of the conditions stipulated in EC.
5. This consent to Operate is for manufacturing of different types of resins and allied chemical products-11,100 MT/annum.


11/02/22
Sr. Environmental Engineer
West Bengal Pollution Control Board

Sr. Environmental Engineer
W. B. Pollution Control Board
Operation & Execution Cell



Sl. No. NO83395

Special Red

WEST BENGAL POLLUTION CONTROL BOARD

Paribesh Bhawan
10A, Block-LA, Sector-III
Bidhannagar, Kolkata-700 098

Card
file
126
1573

Memo No. 6583/NC/15/WPB/BR/1010/09



Dated 12/10/10

From :
Member Secretary,
West Bengal Pollution Control Board

To :

M/s. Subham Oils & Resins Pvt. Ltd.,
22, Burtalla Street,
2nd floor, R.N.-35,
Kolkata - 700007.

xx:

Sub :

Consent to Establish (NOC) from Environmental Point of View

Ref :

Your letter No.

Dated 18.06.2010

Dear Sirs,

In response to the application for consent to Establish proposed by Subham Oils & Resins Pvt. Ltd.,
for manufacturing/storage/installation of Stand Linseed Oil - 42.5 MT/month and Stand DCO Oil - 28.5 MT/month.

Vill: Iswaripur, P.O. Surubun, P.S. Khardah, Dist. 24 Pgs(N).
at J.L. No.15, Dag No. 636/781, 636/861 & 650/780
this is to inform you that this Board hereby grants the Consent to Establish (NOC) from the environmental point of the above subject to the following conditions and special conditions annexed.

1. The quality of sewage and trade effluent to be discharged from your factory shall satisfy the permissible limits as prescribed in IS : 2490 (Pt. I) of 1974, and/or its subsequent amendment and Environment (Protection) Rules 1986.
2. Suitable measures to treat your effluent shall be adopted by you in order to reduce the pollutional load so that the quality of the effluent satisfies the standards mentioned above.
3. You shall have to apply to this Board for its consent to operate and discharge of sewage and trade effluent according to the provisions of the water (Prevention & Control of Pollution) Act, 1974. No sewage or trade effluent shall be discharged by you without prior consent of this Board.
4. All emission from your factory shall conform to the standards as laid down by this Board.
5. No emission shall be permitted without prior approval of this Board and you shall apply to this Board for its consent to operate and atmospheric emission as per provision of the Air (Prevention & Control Pollution) act, 1981.
6. No industrial plant, furnace, flues, chimneys, control equipment, etc. shall be constructed/reconstructed/erected/re-erected without prior approval of this Board.

NOC Sl.No. NOB3395

M/s. Subham Oils & Resins Pvt. Ltd.,

7. You shall comply with

- (i) Water (Prevention and Control of Pollution) Cess Act, 1977, if applicable.
- (ii) Water (Prevention and Control of Pollution) Cess Act, 1978, if applicable.
- (iii) Environment (Protection) Act, 1986
- (iv) Environment (Protection) Rules, 1986
- (v) Hazardous Wastes (Management and Handling) Rules, 1989 and Amended Rules, 2000
- (vi) Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989 and Amended Rules, 2000
- (vii) Manufacture, Use, Import and Storage and Hazardous Micro-Organisms, Genetically Engineered Organisms or Cell Rules, 1989
- (viii) The Public Liability Insurance Act, 1991 and Amended Act, 1992
- (ix) The Public Liability Insurance Rules, 1991 and Amended Rules 1993
- (x) Biomedical Wastes (Management & Handling) Rules, 1998 and Amended Rules 2000 if applicable.
- (xi) Recycled Plastics Manufacture and Usage Rules 1999, if applicable and
- (xii) Ozone Depleting Substances (Regulation & Control) Rules, 2000, if applicable

8. You will have to abide by any other stipulations as may be prescribed by any authority/local bodies/Government Departments etc.

SPECIAL CONDITION:

- 1) Please see the annexure enclosed.
- 2) This NOC is valid only for heating of Linseed Oil and DCO. No Chemicals or use of additives during heating is permitted without prior approval from the State Board.
- 3) Gross Capital investment is Rs. 54.50 lacs only.

Any violation of the aforesaid conditions shall entail cancellation of this Consent to Establish (NOC).

Yours faithfully,

[Signature]
Member Secretary,
West Bengal Pollution Control Board
Environmental Engineer
W. B. Pollution Control Board (B.R.O.)
Dated

Memo No.

Copy forwarded for information to :

1. Chief Inspector of Factories, Government of West Bengal, N. S. Building, Kolkata-700 001
2. Director of Industries/Director of Cottage & Small Scale Industries, Government of West Bengal, N. S. Building, Kolkata-700 001
3. Guard file, West Bengal Pollution Control Board.
4. Environmental Engineer, I/II/Alipur R.O./Howrah R.O./Hooghly R.O./B.R.O./D.R.O./Haldia R.O./S.R.O./Malda R.O./Asansol Sub-R.O./WBPC Board

Himalaya Bhawan
Delhi Road, Dankuni
Dist. Hooghly

Vill, Panpur
Kalyani Expressway
P.O. Narayanpur
Dist. 24 Pgs. (N)

Sahid Khudiram Sarani
City Centre, Durgapur-16
Dist. Burdwan

7, Haradeb Bhattacharjee
Lane, P.S.-Shibpur
Howrah-711102

Paribesh Bhawan
10A, LA-Block, Sector-III
Bidhannagar
Kolkata-700 098

Block-05 at 40
Flats Complex
Adjacent to Priyambada
Housing Estate
P.O. : Khanjanchak,
P.S. Durgachak
Haldia-721602
Dist. : Purba Medinipur

Paribahan Nagar
Matigara, Siliguri
Dist. Darjeeling

10, Camac Street
2nd Floor
Kolkata-700 017



Satyajit Chowdhury
1200, Stadium
Bakulnagar Bandh Road
Malda-72101

Asansol Sub-Regional Office
Ghaniy Mansion (2nd Floor)
60, G. T. Road
Asansol-713 301

Member Secretary,
West Bengal Pollution Control Board



West Bengal Pollution Control Board
Barrackpore Regional Office
Panpur More, P.O. Narayanpur, Kankinara
24 Pgs (N), Pin- 743126
Tel: 2580-0573

Annexure to NOC Sl.No. NO83395

Special Conditions issued to : M/s. Subham Oils & Resins Pvt. Ltd.

Commission : i) HSD fired thermic fluid heaters – 01 No.(capacity 4 lacs K.Cal/hr.) to be provided with a stack of height 30 mtrs from G.L.

ii) D.G. Set – 01 No.(capacity 40 KVA) to be provided with acoustic enclosure and a stack of height at least 1.5 m from roof level or 4.5 m from G.L.

Stack to have sampling port, platform and ladder as per Emission Regulation Part III of CPCB.

Effluent :


1. Process/Wash - Nil
2. Domestic – to be discharged through septic tank to panchayet drain.

Solid Waste : Nil.

General :

1. No additional machinery/equipment can be installed without permission from this board.
2. Noise Control – Ambient noise level not to exceed the permissible limit.
3. Work to be done under covered shed only.
4. Good house keeping to be maintained.
5. Tree planting/saplings – along the periphery of the unit.
6. 'Land Conversion Certificate' to be obtained.
7. 'Consent to Operate' to be obtained from the State Board before commissioning of the unit.
8. Necessary clearance to be obtained for withdrawal of ground water from competent authority.
9. This NOC is valid for 5(five) years effect from the date of issuance of this NOC.
10. Permission from Directorate or Electricity, Govt. of W.B. to be obtained for the D.G. Set.
11. Manufacturing of synthetic resin is not permitted without prior permission of the State Board.




Environmental Engineer
Barrackpore Regional Office
Environmental Engineer
W. B. Pollution Control Board (B.R.O.)

Sl. No.
NOC

4712
NO 153449

(For internal circulation only)

WEST BENGAL POLLUTION CONTROL BOARD

Paribesh Bhawan
10A, Block-LA, Sector-III
Bidhannagar, Kolkata-700 098

Memo No. 03-2N-14/2011(E)

Dated 02/01/2019

From :
Member Secretary,
West Bengal Pollution Control Board

To : M/s. Subham Oil & Resins Pvt. Ltd.
183, Bangur Avenue, Block - B, Kolkata - 700 055.

Sub : Consent to Establish (NOC) from Environmental Point of View

Ref : 1. Your letter No. Nil Dated 05.12.2018
2. Env. Clearance issued by SEIAA vide Letter No. 1951/EN/II-1/
042/2015

Dear Sirs,

In response to the application for Consent to Establish (NOC) for proposed Unit of M/s Subham Oils & Resins Pvt. Ltd. expansion
for manufacturing/storage/installation As per Annexure - I
at J.L. No.15, Plot No.650/780, 636/781, 636/861, Vill+Mouza-
Navarand, P.O.-Suryapur, P.S.-Titagarh, Sewli Gram Panchayat,
this is to inform you that this Board hereby grants the Consent to Establish (NOC) from the environmental point
of the above subject to the following conditions and special conditions annexed.

Dist.-North 24 Parganas, West Bengal.

1. The quality of sewage and trade effluent to be discharged from your factory shall satisfy the permissible limits as prescribed in IS : 2490 (Pt. I) of 1974, and/or its subsequent amendment and Environment (Protection) Rules 1986,
2. Suitable measures to treat your effluent shall be adopted by you in order to reduce the pollutional load so that the quality of the effluent satisfies the standards mentioned above,
3. You shall have to apply to this Board for its consent to operate and discharge of sewage and trade effluent according to the provisions of the water (Prevention & Control of Pollution) Act, 1974. No sewage or trade effluent shall be discharged by you without prior consent of this Board.
4. All emission from your factory shall conform to the standards as laid down by this Board,
5. No. emission shall be permitted without prior approval of this Board and you shall apply to this Board for its consent to operate and atmospheric emission as per provision of the Air (Prevention & Pollution) act, 1981,
6. No industrial plant, furnace, flues, chimneys, control equipment, etc. shall be constructed/reconstructed/erected re-erected without prior approval of this Board,

7. You shall comply with

- (i) Water (Prevention and Control of Pollution) Cess Act, 1977, if applicable.
- (ii) Water (Prevention and Control of Pollution) Cess Act, 1978, if applicable.
- (iii) Environment (Protection) Act, 1986
- (iv) Environment (Protection) Rules, 1986
- (v) Hazardous Wastes (Management and Handling) Rules, 1989 and Amended Rules, 2000
- (vi) Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989 and Amended Rules, 2000
- (vii) Manufacture, Use, Import and Storage and Hazardous Micro-Organisms, Genetically Engineered Organisms or Cell Rules, 1989
- (viii) The Public Liability Insurance Act, 1991 and Amended Act, 1992
- (ix) The Public Liability Insurance Rules, 1991 and Amended Rules 1993
- (x) Biomedical Wastes (Management & Handling) Rules, 1998 and Amended Rules 2000 if applicable.
- (xi) Recycled Plastics Manufacture and Usage Rules 1999, if applicable and
- (xii) Ozone Depleting Substances (Regulation & Control) Rules, 2000, if applicable

8. You will have to abide by any other stipulations as may be prescribed by any authority/local bodies/Government Departments etc.

SPECIAL CONDITION :

Gross Capital Investment for the expansion unit
without depreciation - Rs.4,23,01,200/-

Please refer to Annexure II

Any violation of the aforesaid conditions shall entail cancellation of this Consent to Establish (NOC)

Yours faithfully,

[Signature] 01/01/2019
Member Secretary, ASSISTANT, MBR.
West Bengal Pollution Control Board & I/C. (EIM CELL)

03(1-6)-2N-14/2011(E)

Dated 02/01/2019

Memo No.

Copy forwarded for information to :

1. Chief Inspector of Factories, Government of West Bengal, N. S. Building, Kolkata-700 001
2. Director of Industries/Director of Cottage & Small Scale Industries, Government of West Bengal, N. S. Building, Kolkata-700 001
3. Guard file, West Bengal Pollution Control Board.
4. Environmental Engineer, I/II/Alipur R.O./Howrah R.O./Hooghly R.O./B.R.O./D.R.O./Haldia R.O./S.R.O./Malda R.O./Asansol Sub-R.O./WBPC Board

Himalaya Bhawan
Delhi Road, Dankuni
Dist. Hooghly

Vill, Panpur
Kalyani Expressway
P.O. Narayanpur
Dist. 24 Pgs. (N)

Sahid Khudiram Sarani
City Centre, Durgapur-16
Dist. Burdwan

Bhabani Bhawan
2nd Floor, Alipur
Kolkata-700 027

Paribesh Bhawan
10A, LA-Block, Sector-III
Salt Lake City,
Kolkata-700 098

Block-05 at 40
Flats Complex
Adjacent to Priyambada
Housing Estate
P.O. : Khanjanchak,
P.S. Durgachak
Haldia-721602
Dist. : Purba Medinipur

Paribahan Nagar
Matigara, Siliguri
Dist-Darjeeling

10, Camac Street
2nd Floor
Kolkata-700 017

Satya Chowdhury
Indoor Stadium
Balurchar Bandh Road
Malda-732101

Asansol Sub-Regional Office
Ghanty Mansion (2nd Floor)
60, G. T. Road
Asansol-713 301

[Signature] 01/01/2019
Member Secretary,
West Bengal Pollution Control Board & I/C. (EIM CELL)

5. SBE 21/C - (SBE) cell -
6. SBE - Kankinara C.O.

Summary of products list (Annexure I)

S. No.	Products	Existing capacity (TPA)	Additional capacity (TPA)
1.	Alkyd resin	1500	4800
2.	Thickening of strand, linseed oil	510	-----
3.	Maleic resin	-----	600
4.	Phenolic resin	-----	300
5.	CNSL resin	-----	920
6.	Acrylic resin	-----	900
7.	Easter resin	-----	300
8.	Polyamide resin	-----	300
9.	Acrylic emulsion	-----	2400
10.	Pine & turpentine allied products	-----	200
11.	Epoxy resin	-----	380

Amf

5. No. emission shall be permitted without prior approval of this Board and you shall apply to this Board for its consent to operate and atmospheric emission as per provision of the Air (Prevention & Pollution) act, 1981.
6. No industrial plant, furnace, flues, chimneys, control equipment, etc. shall be constructed/reconstructed/erected re-erected without prior approval of this Board,

Annexure to NOC Sl. No NO153449

Special Conditions issued to M/s. Subham Oils & Resins Pvt. Ltd., Mouza & Vill.- Navarand, P.O.-
Suryapur, P.S.-Titagarh, Dist. North 24 Parganas, West Bengal

A. Emission:-

Stack No.	Stack attached to	No. of Unit	Capacity of Unit	height from ground (Mt)	Pollution control devices
1	Thermic Fluid Heater	1	400000 Kcal/hr	30.00	Bag Filter
1	Thermic Fluid Heater (Biomass Briquette fired)	1	600000 Kcal/hr	30.00	Bag Filter
1	Boiler (Non IBR) (HSD Fired)	1	2 MT/hr	30.00	-

1. Stacks should have sampling port, platform and ladder as per the Emission Regulation Part-III of CPCB.
2. Fugitive emissions at all possible sources should be arrested.
3. All other process emission (if any) should be passed through wet scrubber followed by stack of height 15 m from GL.
4. The National Ambient Air Quality Emission Standards issued by MoEF vide G.S.R 826(E) dated 16th November, 2009 should be complied with.
5. Emission standard for the thermic fluid heater stack should be maintained below 50 mg/Nm³.

B. Effluent :-

- 1) Process – To be treated in ETP. Treated effluent to be utilized within project premises. Zero Discharge Principle to be strictly followed.
- 2) Domestic – To be treated in septic tank and soak pit.

C. Solid Waste :-

1. Hazardous waste including ETP sludge to be disposed off as per the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
2. Other solid wastes to be disposed off as per the Solid Waste Management Rules, 2016.

D. General :-

- 1) Noise Control – Ambient noise & D.G. Set noise level not to exceed the permissible limit.
- 2) The standards / guidelines for control of noise from stationary Diesel generator sets prescribed under notification of Ministry of Environment & Forest, Govt. of India, G.S.R.371(E), [17/5/2002] and its amendments should be followed.
- 3) Fire License to be obtained from competent authority.
- 4) The unit should obtain authorization from this Board under the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.

Signature
04/01/2018.

5. No. emission shall be permitted without prior approval of this Board and you shall apply to this Board for its consent to operate and atmospheric emission as per provision of the Air (Prevention & Pollution) act, 1981.
6. No industrial plant, furnace, flues, chimneys, control equipment, etc. shall be constructed/reconstructed/erected re-erected without prior approval of this Board.

- 5) Good housekeeping to be maintained.
- 6) No expansion / modification to be carried out without permission from this Board.
- 7) The unit should obtain Consent-to-Operate from the Board before starting manufacturing activities.
- 8) All Statutory clearances/licenses from Competent Authorities, as applicable, to be obtained.
- 9) All conditions of the Environmental Clearance issued by SEIAA, West Bengal vide memo no. 1951/EN/T-II-I/042/2015 dated 05.09.2016 to be complied with.
- 10) This 'Consent to Establish' is valid up to 31.12.2025 for setting up the unit.

√ - 7 July 02/01/2019.
Member-Secretary/ ~~Asstt. Env.~~ Engineer, EIM Cell & I/C.
West Bengal Pollution Control Board

Annexure – 5



WEST BENGAL POLLUTION CONTROL BOARD

(Department of Environment, Govt. of West Bengal)

Paribesh Bhawan

Bldg. No. 10 A, Block-LA, Sector-III, Bidhan Nagar,
Kolkata – 700 098

Tel : 0091 (033) 2335-9088 / 8861 / 8211 / 8073 / 6731

2335-0261 / 8212 / 8213 / 7428 / 5975

Fax : 0091 (033) 2335 6730 / 2813

Website : www.wbpcb.gov.in, e-mail : wbpcbnnet@wbpcb.gov.in

Memo No. 246 /2S(HW) –4515/2022

Date: 20.12.2022

FORM 2

Grant of Authorization under the provisions of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.

Ref.: Application authorization dated 21.03.2022 for management & handling of Hazardous & Other Waste (Management & Transboundary) Rules, 2016 and its amendment thereafter.

M/s. Subham Oils & Resins Pvt. Ltd.

Vill: Iswaripur, P.O.: Suriyapur, P.S.: Titagarh, Dist: 24 Pgs (N), Pin: 700121 is hereby granted an authorisation based on inspection report for generation, collection, reception, storage, transport, reuse, recycling, recovery, pre-processing, co-processing, utilisation, treatment, disposal, or any other use of hazardous or other wastes or both on the premises located at **Vill: Iswaripur, P.O.: Suriyapur, P.S.: Titagarh, Dist: 24 Pgs (N), Pin: 700121**.

Details of Authorisation:

Sl. no.	Category of Hazardous Waste as per the Schedule I, II and III of these rules	Authorised mode of disposal or recycling or utilization or co-processing etc.	Quantity (Ton/year)
1.	5.1	Recycling through authorized recyclers.*	0.1 KL
2.	5.2	Disposal to CHWTSDF. *	0.50
3.	23.2	Recycling through authorized recyclers.*	0.50
4.	35.3	Disposal to CHWTSDF. *	1.20

* For detail refer to Specific Conditions.

(1) Authorization shall be valid for a period upto **31.03.2027** with effect from the date of issue

(2) The authorization is subject to the following general and specific conditions:


[Chief Engineer]

West Bengal Pollution Control Board

Chief Engineer
W. B. Pollution Control Board
Dept. of Environment, Govt. of W.B.

A. General conditions of authorization:

1. The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the State Pollution Control Board.
3. The person authorised shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorisation.
4. Any unauthorised change in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.
5. The person authorised shall implement Emergency Response Procedure (ERP) for which this authorisation is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time;
6. The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on "Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and Penalty"
7. It is the duty of the authorised person to take prior permission of the State Pollution Control Board to close down the facility.
8. The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation.
9. The record of consumption and fate of the imported hazardous and other wastes shall be maintained.
10. The hazardous and other waste which gets generated during recycling or reuse or recovery or pre-processing or utilisation of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorisation.
11. The importer or exporter shall bear the cost of import or export and mitigation of damages if any.
12. An application for the renewal of an authorisation shall be three months before the expiry of such authorisation.
13. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Change or Central Pollution Control Board from time to time.
14. Annual return shall be filed by June 30th every year for the period ending 31st March of that year.

B. Specific conditions:

1. The unit shall store the hazardous wastes (category wise separately) under shade in an environment friendly safe manner within the premises at designated places and the unit shall not store hazardous waste on site for more than 90 days.
2. Waste & residues (23.1), used/discarded DG Set Filter (36.2), oil contaminated cotton waste (5.2) and ETP sludge (35.3) shall be sent to CHWTSD facility with manifest system.
3. Used oil (5.1), spent solvent (23.2) and contaminated drum (33.1) shall be sold through manifest system (Form 10) to the authorized recyclers having valid authorization of the State Pollution Control Board. During each sale, original Pass-book issued by SPCB to the authorized recyclers shall be endorsed mentioning the quantity and copy of the same shall be kept as record. If not fit for recycling shall be sent to CHWTSD facility with

- manifest system.
4. The unit shall submit copies of Form 10 to the State Board on a regular basis.
 5. Transport of hazardous and other waste shall be in accordance with the Hazardous & Other Wastes (Management & Transboundary Movement) Rules, 2016, guidelines issued by the Central Pollution Control Board (CPCB) and rules made under the Motor Vehicles Act, 1988. The responsibility of safe transport shall be either of the sender or the receiver whosoever arranges the transport and this responsibility shall be clearly indicated in the Manifest.
 6. Records of hazardous waste generation, storage and disposal shall be maintained properly as per Form-3 of Hazardous & Other Waste (management & Transboundary Movement) Rules, 2016 and shall be available to the inspecting officials of the State Board during inspection.
 7. The unit shall update regularly the environmental information in Display Boards as per the order of the Hon'ble Supreme Court dated. 14.10.2003 in W.P.(C) NO.657 of 1995.
 8. Authorisation will be revoked in case of non-compliances with any of the above conditions.

M/s. Subham Oils & Resins Pvt. Ltd.

Vill: Iswaripur, P.O.: Surjyapur, P.S.: Titagarh,

Dist: 24 Pgs (N), Pin: 700121 ,


[Chief Engineer]
West Bengal Pollution Control Board

Chief Engineer
W. B. Pollution Control Board
Dept. of Environment, Govt. of W.B.

Annexure – 6



**COMBINED CHALLAN OF A/C NO. 01, 02, 10, 21 & 22 (With
EMPLOYEES' PROVIDENT FUND ORGANISATION)**

TRRN 4712311002675

ECR Id 97044474

LIN :1226592526

Establishment Code & Name WBTLO1639421000 SUBHAM OILS & RESINS PRIVATE LIMITED

Dues for the wage month of October 2023

Address : NAVARANDA, SURYAPUR, KOLKATA, NORTH TWENTY FOUR PARGANAS, WEST BENGAL

Total Subscribers :	EPF 12	EPS 11	EDLI 12
Total Wages :	1,20,698	1,11,248	1,20,698

SL.	PARTICULARS	A/C.01 (Rs.)	A/C.02 (Rs.)	A/C.10 (Rs.)	A/C.21 (Rs.)	A/C.22 (Rs.)	TOTAL
1	Administration Charges	0	603	0	0	0	603
2	Employer's Share Of	5,215	0	9,268	603	0	15,086
3	Employee's Share Of	14,483	0	0	0	0	14,483
Grand Total : Thirty Thousand One Hundred Seventy-Two Rupees Only							30,172

(This is a system generated challan on 08-NOV-2023 13:58, the particulars shown in this challan are populated from the Electronic Challan Cum Return (ECR) uploaded by the establishment for the specified month and year.

Note :- The following amounts are being remitted directly by Government of India on account of PMRPY / ABRY.

	PMRPY	ABRY
A) A/C no 1 (Employer share) (Rs.) -	0	0
B) A/C no 10 (Pension fund) (Rs.) -	0	0
C) A/C no 1 (Employee share) (Rs.) -	0	0
D) Total (A + B + C) (Rs.) -	0	0
E) Total remittance by Employer (Rs.) -	30,172	
F) Total amount of uploaded ECR (D + E) (	30,172	





EMPLOYEE'S PROVIDENT FUND

ELECTRONIC CHALLAN CUM RETURN (ECR)

Name of Establishment	SUBHAM OILS & RESINS PRIVATE LIMITED		
Establishment Id	WBTLO1639421000	LIN	1226592526
Wage Month	OCT-2023	Return Month	NOV-2023
Contribution Rate (%)	12	ECR Type	ECR
Salary Disbursement Date	07-NOV-2023	Uploaded Date Time	08-NOV-2023 13:58
Exemption Status	Unexempted	TRRN Number	
Remarks	OCT 2023	ECR Id	97044474
Total Members	12		
Contribution and Remittance Details (In Rupees) :			
Total EPF Contribution Remitted	14,483	Total EPS Contribution Remitted	9,268
Total EPF-EPS Contribution Remitted	5,215	Total Refund Advance	0
PMRPY Upfront Benefit Details (In Rupees) :			
Total PMRPY Upfront EPF Amount	0	Total PMRPY Upfront EPS Amount	0
PMRPY benefit remarks	NA		
ABRY Upfront Benefit Details (In Rupees) :			
Total ABRY benefit Amount	Employee EPF Share	Employer EPS Share	Employer EPF Share
	0	0	0
ABRY benefit remarks	Establishment is not eligible for ABRY benefit as eligible employee count [0] is less than required employee count of two from base month.		

Member Details :-

Sl. No.	UAN	Name as per		Wages				Contribution Remitted				Refunds	PMRPY / ABRY Benefit			Posting Location of the member
		ECR	UAN Repository	Gross	EPF	EPS	EDLI	EE	EPS	ER	NCP Days		Pension Share	ER PF Share	EE Share	
1	101232717852	ANANDA MANIK	ANANDA MANIK	19,950	11,970	11,970	11,970	1,436	997	439	1	0	-	-	-	N.A.
2	101884067301	ARPAN MONDAL	ARPAN MONDAL	20,000	12,000	12,000	12,000	1,440	1,000	440	0	0	-	-	-	N.A.
3	100091741863	ARVIND KUMAR UPADHYAY	ARVIND KUMAR UPADHYAY	17,955	10,773	10,773	10,773	1,293	897	396	3	0	-	-	-	N.A.
4	100122255148	CHANDAN GHARA	CHANDAN GHARA	17,000	10,200	10,200	10,200	1,224	850	374	0	0	-	-	-	N.A.
5	101203964194	DEBDAS JANA	DEBDAS JANA	24,090	14,387	14,387	14,387	1,726	1,198	528	3	0	-	-	-	N.A.
6	101989294245	JOY PRAKASH	JAYPRAKASH KUMAR	13,499	6,864	6,864	6,864	824	572	252	4	0	-	-	-	N.A.
7	101810586263	KAYES KUMAR PRASAD	KAYES KUMAR PRASAD	15,750	9,450	0	9,450	1,134	0	1,134	5	0	-	-	-	N.A.
8	101676072716	KESHAB SEN	KESHAB SEN	14,000	8,400	8,400	8,400	1,008	700	308	0	0	-	-	-	N.A.
9	101203960786	PRASANTA HALDER	PRASANTA HALDER	17,718	8,859	8,859	8,859	1,063	738	325	7	0	-	-	-	N.A.
10	101649103195	RAJ KR UPADHAYA	RAJ KUMAR UPADHYAY	11,356	6,720	6,720	6,720	806	560	246	6	0	-	-	-	N.A.
11	101635458761	RANJAN SWARNAKAR	RANJAN SWARNAKAR	14,875	7,875	7,875	7,875	945	656	289	0	0	-	-	-	N.A.
12	101294520445	SUBRATA GANGULY	SUBRATA GANGULY	22,000	13,200	13,200	13,200	1,584	1,100	484	0	0	-	-	-	N.A.

Note:

1) UANs are prefixed with Asterisk sign (*) in case AADHAAR is not seeded /unverified

2) EPS Contribution Remitted is prefixed with Hash sign (#) when Member's age is more than 58 years.


Please ensure that this is the case of "Deferred Pension".

PMRPY Benefit Not Given Remarks :-

Reason Code	Reason Name
EC10001	ECR already filed for this member
EC10002	Parallel Employment: ECR already filed for this
EC10003	Benefit already availed for this member
EC10004	Gross/EPF wages greater than 15,000/-
EC10005	Mismatch in EPF and EPS wages
EC10006	Mismatch in Due and Remitted values
EC10007	UAN Deactivated

ABRY Benefit Not Given Remarks :-


Reason Code	Reason Name
GK10001	EPF wages are greater than or equal to 15,000/-
GK10002	Mismatch in EPF and EPS wages
GK10003	EPF contribution remitted is greater than due remittance
GK10004	EPS contribution remitted is greater than due remittance
GK10005	(EPF - EPS) difference contribution remitted is greater than due
GK10006	EPS contribution remitted is greater than due remittance
GK10007	Aadhaar not seeded



User Login: 40000463640000304

Thursday, November 16, 2023
2:06:25 PM[Monthly Contribution](#) > [Online Challan Status](#)

Transaction Details		* Required Fields
Transaction status:	Transaction Completed Successfully	
Employer's Code No:	40000463640000304	
Employer's Name:	GIRDHARI CHEMICALS & RESINS PRIVATE LIMITED	
Challan Period:	Oct-2023	
Challan Number :	04023138662661	
Challan Created Date	08-11-2023 17:04:38	
Challan Submitted Date	10-11-2023 13:57:11	
Amount Paid:	5525.00	
Transaction Number:	311106250390	
PrintClose		



User Login: 40000460440000906

Thursday, November 16, 2023 1:31:34 PM



[Monthly Contribution](#) > [Online Challan Status](#)

Transaction Details		* Required Fields
Transaction status:	Transaction Completed Successfully	
Employer's Code No:	40000460440000906	
Employer's Name:	SUBHAM OILS AND RESINS PRIVATE LIMITED	
Challan Period:	Oct-2023	
Challan Number :	04023138656114	
Challan Created Date	08-11-2023 15:53:20	
Challan Submitted Date	10-11-2023 14:09:20	
Amount Paid:	6489.00	
Transaction Number:	311106298609	
PrintClose		



कर्मचारी भविष्य निधि संगठन
Employees' Provident Fund Organization

भविष्य निधि भवन, १४, भीकाजी कामा प्लेस, नई दिल्ली - ११००६६
Bhavishya Nidhi Bhawan, 14, Bhikaji Cama Place, New Delhi - 110066

Generated On 16/11/2023 14:08:

Payment Confirmation Receipt

TRRN No :	4712311002675
Challan Status :	Payment Confirmed
Challan Generated On :	08-NOV-2023 13:58:30
Establishment ID :	WBTLO1639421000
Establishment Name :	SUBHAM OILS & RESINS PRIVATE LIMITED
Challan Type :	Monthly Contribution Challan
Total Members :	12
Wage Month :	OCT-2023
Total Amount (Rs) :	30,172
Account-1 Amount (Rs) :	19,698
Account-2 Amount (Rs) :	603
Account-10 Amount (Rs) :	9,268
Account-21 Amount (Rs) :	603
Account-22 Amount (Rs) :	0
Payment Confirmation Bank :	HDFC Bank
CRN :	240101123008724
Payment Date :	10-NOV-2023
Payment Confirmation Date :	10-NOV-2023
Total PMRPY Benefit :	0





**COMBINED CHALLAN OF A/C NO. 01, 02, 10, 21 & 22 (With
EMPLOYEES' PROVIDENT FUND ORGANISATION)**

TRRN 4712312003264

ECR Id 98349928

LIN :1226592526

Establishment Code & Name WBTLO1639421000 SUBHAM OILS & RESINS PRIVATE LIMITED

Dues for the wage month of November 2023

Address : NAVARANDA, SURYAPUR, KOLKATA, NORTH TWENTY FOUR PARGANAS, WEST BENGAL

	EPF	EPS	EDLI
Total Subscribers :	12	11	12
Total Wages :	1,15,845	1,06,395	1,15,845

SL.	PARTICULARS	A/C.01 (Rs.)	A/C.02 (Rs.)	A/C.10 (Rs.)	A/C.21 (Rs.)	A/C.22 (Rs.)	TOTAL
1	Administration Charges	0	579	0	0	0	579
2	Employer's Share Of	5,037	0	8,865	579	0	14,481
3	Employee's Share Of	13,902	0	0	0	0	13,902
Grand Total : Twenty-Eight Thousand Nine Hundred Sixty-Two Rupees Only							28,962

(This is a system generated challan on 09-DEC-2023 13:42, the particulars shown in this challan are populated from the Electronic Challan Cum Return (ECR) uploaded by the establishment for the specified month and year.

Note :- The following amounts are being remitted directly by Government of India on account of PMRPY / ABRY.

	PMRPY	ABRY
A) A/C no 1 (Employer share) (Rs.) -	0	0
B) A/C no 10 (Pension fund) (Rs.) -	0	0
C) A/C no 1 (Employee share) (Rs.) -	0	0
D) Total (A + B + C) (Rs.) -	0	0
E) Total remittance by Employer (Rs.) -	28,962	
F) Total amount of uploaded ECR (D + E) (	28,962	





EMPLOYEE'S PROVIDENT FUND

ELECTRONIC CHALLAN CUM RETURN (ECR)

Name of Establishment	SUBHAM OILS & RESINS PRIVATE LIMITED		
Establishment Id	WBTLO1639421000	LIN	1226592526
Wage Month	NOV-2023	Return Month	DEC-2023
Contribution Rate (%)	12	ECR Type	ECR
Salary Disbursement Date	06-DEC-2023	Uploaded Date Time	09-DEC-2023 13:42
Exemption Status	Unexempted	TRRN Number	
Remarks	NOV 2023	ECR Id	98349928
Total Members	12		
Contribution and Remittance Details (In Rupees) :			
Total EPF Contribution Remitted	13,902	Total EPS Contribution Remitted	8,865
Total EPF-EPS Contribution Remitted	5,037	Total Refund Advance	0
PMRPY Upfront Benefit Details (In Rupees) :			
Total PMRPY Upfront EPF Amount	0	Total PMRPY Upfront EPS Amount	0
PMRPY benefit remarks	NA		
ABRY Upfront Benefit Details (In Rupees) :			
Total ABRY benefit Amount	Employee EPF Share	Employer EPS Share	Employer EPF Share
	0	0	0
ABRY benefit remarks	Establishment is not eligible for ABRY benefit as eligible employee count [0] is less than required employee count of two from base month.		

Member Details :-

Sl. No.	UAN	Name as per		Wages				Contribution Remitted				Refunds	PMRPY / ABRY Benefit			Posting Location of the member
		ECR	UAN Repository	Gross	EPF	EPS	EDLI	EE	EPS	ER	NCP Days		Pension Share	ER PF Share	EE Share	
1	101232717852	ANANDA MANIK	ANANDA MANIK	19,075	11,340	11,340	11,340	1,361	945	416	3	0	-	-	-	N.A.
2	101884067301	ARPAN MONDAL	ARPAN MONDAL	18,000	10,800	10,800	10,800	1,296	900	396	3	0	-	-	-	N.A.
3	100091741863	ARVIND KUMAR UPADHYAY	ARVIND KUMAR UPADHYAY	20,283	11,970	11,970	11,970	1,436	997	439	0	0	-	-	-	N.A.
4	100122255148	CHANDAN GHARA	CHANDAN GHARA	15,300	9,180	9,180	9,180	1,102	765	337	3	0	-	-	-	N.A.
5	101203964194	DEBDAS JANA	DEBDAS JANA	9,769	5,861	5,861	5,861	703	488	215	19	0	-	-	-	N.A.
6	101989294245	JOY PRAKASH	JAYPRAKASH KUMAR	17,156	9,000	9,000	9,000	1,080	750	330	0	0	-	-	-	N.A.
7	101810586263	KAYES KUMAR PRASAD	KAYES KUMAR PRASAD	15,750	9,450	0	9,450	1,134	0	1,134	5	0	-	-	-	N.A.
8	101676072716	KESHAB SEN	KESHAB SEN	14,000	8,400	8,400	8,400	1,008	700	308	0	0	-	-	-	N.A.
9	101203960786	PRASANTA HALDER	PRASANTA HALDER	17,718	10,631	10,631	10,631	1,276	886	390	3	0	-	-	-	N.A.
10	101649103195	RAJ KR UPADHAYA	RAJ KUMAR UPADHYAY	14,000	8,400	8,400	8,400	1,008	700	308	0	0	-	-	-	N.A.
11	101635458761	RANJAN SWARNAKAR	RANJAN SWARNAKAR	12,688	7,613	7,613	7,613	914	634	280	1	0	-	-	-	N.A.
12	101294520445	SUBRATA GANGULY	SUBRATA GANGULY	22,000	13,200	13,200	13,200	1,584	1,100	484	0	0	-	-	-	N.A.

Note:

1) UANs are prefixed with Asterisk sign (*) in case AADHAAR is not seeded /unverified

2) EPS Contribution Remitted is prefixed with Hash sign (#) when Member's age is more than 58 years.

Please ensure that this is the case of "Deferred Pension".

PMRPY Benefit Not Given Remarks :-

Reason Code	Reason Name
EC10001	ECR already filed for this member
EC10002	Parallel Employment: ECR already filed for this
EC10003	Benefit already availed for this member
EC10004	Gross/EPF wages greater than 15,000/-
EC10005	Mismatch in EPF and EPS wages
EC10006	Mismatch in Due and Remitted values
EC10007	UAN Deactivated

ABRY Benefit Not Given Remarks :-

Reason Code	Reason Name
GK10001	EPF wages are greater than or equal to 15,000/-
GK10002	Mismatch in EPF and EPS wages
GK10003	EPF contribution remitted is greater than due remittance
GK10004	EPS contribution remitted is greater than due remittance
GK10005	(EPF - EPS) difference contribution remitted is greater than due
GK10006	EPS contribution remitted is greater than due remittance
GK10007	Aadhaar not seeded




User Login: 40000460440000906

Thursday, December 14, 2023 1:04:08 PM



[Monthly Contribution](#) > [Online Challan Status](#)

Transaction Details		* Required Fields
Transaction status:	Transaction Completed Successfully	
Employer's Code No:	40000460440000906	
Employer's Name:	SUBHAM OILS AND RESINS PRIVATE LIMITED	
Challan Period:	Nov-2023	
Challan Number :	04023142541796	
Challan Created Date	09-12-2023 13:50:20	
Challan Submitted Date	11-12-2023 10:50:55	
Amount Paid:	6564.00	
Transaction Number:	312119098349	
PrintClose		



User Login: 40000463640000304

Thursday, December 14, 2023 1:47:51 PM



[Monthly Contribution](#) > [Online Challan Status](#)

Transaction Details		* Required Fields
Transaction status:	Transaction Completed Successfully	
Employer's Code No:	40000463640000304	
Employer's Name:	GIRDHARI CHEMICALS & RESINS PRIVATE LIMITED	
Challan Period:	Nov-2023	
Challan Number :	04023142546319	
Challan Created Date	09-12-2023 14:01:59	
Challan Submitted Date	11-12-2023 10:54:58	
Amount Paid:	5603.00	
Transaction Number:	312119104652	
PrintClose		



**COMBINED CHALLAN OF A/C NO. 01, 02, 10, 21 & 22 (With
EMPLOYEES' PROVIDENT FUND ORGANISATION)**

TRRN 4712401002621

ECR Id 99560143

LIN :1226592526

Establishment Code & Name WBTLO1639421000 SUBHAM OILS & RESINS PRIVATE LIMITED

Dues for the wage month of December 2023

Address : NAVARANDA, SURYAPUR, KOLKATA, NORTH TWENTY FOUR PARGANAS, WEST BENGAL

Total Subscribers :	EPF 13	EPS 12	EDLI 13
Total Wages :	1,27,775	1,17,191	1,27,775

SL.	PARTICULARS	A/C.01 (Rs.)	A/C.02 (Rs.)	A/C.10 (Rs.)	A/C.21 (Rs.)	A/C.22 (Rs.)	TOTAL
1	Administration Charges	0	639	0	0	0	639
2	Employer's Share Of	5,569	0	9,763	640	0	15,972
3	Employee's Share Of	15,332	0	0	0	0	15,332
Grand Total : Thirty-One Thousand Nine Hundred Forty-Three Rupees Only							31,943

(This is a system generated challan on 08-JAN-2024 14:30, the particulars shown in this challan are populated from the Electronic Challan Cum Return (ECR) uploaded by the establishment for the specified month and year.

Note :- The following amounts are being remitted directly by Government of India on account of PMRPY / ABRY.

	PMRPY	ABRY
A) A/C no 1 (Employer share) (Rs.) -	0	0
B) A/C no 10 (Pension fund) (Rs.) -	0	0
C) A/C no 1 (Employee share) (Rs.) -	0	0
D) Total (A + B + C) (Rs.) -	0	0
E) Total remittance by Employer (Rs.) -	31,943	
F) Total amount of uploaded ECR (D + E) (	31,943	





EMPLOYEE'S PROVIDENT FUND

ELECTRONIC CHALLAN CUM RETURN (ECR)

Name of Establishment	SUBHAM OILS & RESINS PRIVATE LIMITED		
Establishment Id	WBTLO1639421000	LIN	1226592526
Wage Month	DEC-2023	Return Month	JAN-2024
Contribution Rate (%)	12	ECR Type	ECR
Salary Disbursement Date	05-JAN-2024	Uploaded Date Time	08-JAN-2024 14:30
Exemption Status	Unexempted	TRRN Number	
Remarks	DEC 23	ECR Id	99560143
Total Members	13		
Contribution and Remittance Details (In Rupees) :			
Total EPF Contribution Remitted	15,332	Total EPS Contribution Remitted	9,763
Total EPF-EPS Contribution Remitted	5,569	Total Refund Advance	0
PMRPY Upfront Benefit Details (In Rupees) :			
Total PMRPY Upfront EPF Amount	0	Total PMRPY Upfront EPS Amount	0
PMRPY benefit remarks	NA		
ABRY Upfront Benefit Details (In Rupees) :			
Total ABRY benefit Amount	Employee EPF Share	Employer EPS Share	Employer EPF Share
	0	0	0
ABRY benefit remarks	Establishment is not eligible for ABRY benefit as eligible employee count [0] is less than required employee count of two from base month.		

Member Details :-

Sl. No.	UAN	Name as per		Wages				Contribution Remitted				Refunds	PMRPY / ABRY Benefit			Posting Location of the member
		ECR	UAN Repository	Gross	EPF	EPS	EDLI	EE	EPS	ER	NCP Days		Pension Share	ER PF Share	EE Share	
1	101232717852	ANANDA MANIK	ANANDA MANIK	21,000	12,600	12,600	12,600	1,512	1,050	462	0	0	-	-	-	N.A.
2	101884067301	ARPAN MONDAL	ARPAN MONDAL	17,667	10,600	10,600	10,600	1,272	883	389	3	0	-	-	-	N.A.
3	100091741863	ARVIND KUMAR UPADHYAY	ARVIND KUMAR UPADHYAY	20,615	11,970	11,970	11,970	1,436	997	439	0	0	-	-	-	N.A.
4	100122255148	CHANDAN GHARA	CHANDAN GHARA	18,133	10,200	10,200	10,200	1,224	850	374	0	0	-	-	-	N.A.
5	101203964194	DEBDAS JANA	DEBDAS JANA	22,203	13,322	13,322	13,322	1,599	1,110	489	5	0	-	-	-	N.A.
6	102022356190	FAHAD ALI SHAN	FAHAD ALI SHAN	13,154	7,700	7,700	7,700	924	641	283	2	0	-	-	-	N.A.
7	101989294245	JOY PRAKASH	JAYPRAKASH KUMAR	8,688	4,800	4,800	4,800	576	400	176	14	0	-	-	-	N.A.
8	101810586263	KAYES KUMAR PRASAD	KAYES KUMAR PRASAD	17,640	10,584	0	10,584	1,270	0	1,270	2	0	-	-	-	N.A.
9	101676072716	KESHAB SEN	KESHAB SEN	14,000	8,400	8,400	8,400	1,008	700	308	0	0	-	-	-	N.A.
10	101203960786	PRASANTA HALDER	PRASANTA HALDER	16,406	9,844	9,844	9,844	1,181	820	361	5	0	-	-	-	N.A.
11	101649103195	RAJ KR UPADHAYA	RAJ KUMAR UPADHYAY	12,600	7,560	7,560	7,560	907	630	277	3	0	-	-	-	N.A.
12	101635458761	RANJAN SWARNAKAR	RANJAN SWARNAKAR	14,000	7,875	7,875	7,875	945	656	289	0	0	-	-	-	N.A.
13	101294520445	SUBRATA GANGULY	SUBRATA GANGULY	20,533	12,320	12,320	12,320	1,478	1,026	452	2	0	-	-	-	N.A.

Note:

1) UANs are prefixed with Asterisk sign (*) in case AADHAAR is not seeded /unverified

2) EPS Contribution Remitted is prefixed with Hash sign (#) when Member's age is more than 58 years.

Please ensure that this is the case of "Deferred Pension".

PMRPY Benefit Not Given Remarks :-

Reason Code	Reason Name
EC10001	ECR already filed for this member
EC10002	Parallel Employment: ECR already filed for this
EC10003	Benefit already availed for this member
EC10004	Gross/EPF wages greater than 15,000/-
EC10005	Mismatch in EPF and EPS wages
EC10006	Mismatch in Due and Remitted values
EC10007	UAN Deactivated

ABRY Benefit Not Given Remarks :-

Reason Code	Reason Name
GK10001	EPF wages are greater than or equal to 15,000/-
GK10002	Mismatch in EPF and EPS wages
GK10003	EPF contribution remitted is greater than due remittance
GK10004	EPS contribution remitted is greater than due remittance
GK10005	(EPF - EPS) difference contribution remitted is greater than due
GK10006	EPS contribution remitted is greater than due remittance
GK10007	Aadhaar not seeded



**COMBINED CHALLAN OF A/C NO. 01, 02, 10, 21 & 22 (With
EMPLOYEES' PROVIDENT FUND ORGANISATION)**

TRRN 4712402003642

ECR Id 101049495

LIN :1226592526

Establishment Code & Name WBTLO1639421000 SUBHAM OILS & RESINS PRIVATE LIMITED

Dues for the wage month of January 2024

Address : NAVARANDA, SURYAPUR, KOLKATA, NORTH TWENTY FOUR PARGANAS, WEST BENGAL

Total Subscribers :	EPF 13	EPS 12	EDLI 13
Total Wages :	1,30,759	1,21,835	1,29,773

SL.	PARTICULARS	A/C.01 (Rs.)	A/C.02 (Rs.)	A/C.10 (Rs.)	A/C.21 (Rs.)	A/C.22 (Rs.)	TOTAL
1	Administration Charges	0	654	0	0	0	654
2	Employer's Share Of	5,542	0	10,150	650	0	16,342
3	Employee's Share Of	15,692	0	0	0	0	15,692
Grand Total : Thirty-Two Thousand Six Hundred Eighty-Eight Rupees Only							32,688

(This is a system generated challan on 09-FEB-2024 18:23, the particulars shown in this challan are populated from the Electronic Challan Cum Return (ECR) uploaded by the establishment for the specified month and year.

Note :- The following amounts are being remitted directly by Government of India on account of PMRPY / ABRY.

	PMRPY	ABRY
A) A/C no 1 (Employer share) (Rs.) -	0	0
B) A/C no 10 (Pension fund) (Rs.) -	0	0
C) A/C no 1 (Employee share) (Rs.) -	0	0
D) Total (A + B + C) (Rs.) -	0	0
E) Total remittance by Employer (Rs.) -	32,688	
F) Total amount of uploaded ECR (D + E) (	32,688	

This challan is not proof of payment. To know the payment status please use “TRRN query Search” at www.epfindia.gov.in.



EMPLOYEE'S PROVIDENT FUND

ELECTRONIC CHALLAN CUM RETURN (ECR)

Name of Establishment	SUBHAM OILS & RESINS PRIVATE LIMITED		
Establishment Id	WBTLO1639421000	LIN	1226592526
Wage Month	JAN-2024	Return Month	FEB-2024
Contribution Rate (%)	12	ECR Type	ECR
Salary Disbursement Date	08-FEB-2024	Uploaded Date Time	09-FEB-2024 18:23
Exemption Status	Unexempted	TRRN Number	
Remarks	JAN 2024	ECR Id	101049495
Total Members	14		
Contribution and Remittance Details (In Rupees) :			
Total EPF Contribution Remitted	15,692	Total EPS Contribution Remitted	10,150
Total EPF-EPS Contribution Remitted	5,542	Total Refund Advance	0
PMRPY Upfront Benefit Details (In Rupees) :			
Total PMRPY Upfront EPF Amount	0	Total PMRPY Upfront EPS Amount	0
PMRPY benefit remarks	NA		
ABRY Upfront Benefit Details (In Rupees) :			
Total ABRY benefit Amount	Employee EPF Share	Employer EPS Share	Employer EPF Share
	0	0	0
ABRY benefit remarks	Establishment is not eligible for ABRY benefit as eligible employee count [0] is less than required employee count of two from base month.		

Member Details :-

Sl. No.	UAN	Name as per		Wages				Contribution Remitted				Refunds	PMRPY / ABRY Benefit			Posting Location of the member
		ECR	UAN Repository	Gross	EPF	EPS	EDLI	EE	EPS	ER	NCP Days		Pension Share	ER PF Share	EE Share	
1	101232717852	ANANDA MANIK	ANANDA MANIK	20,475	12,180	12,180	12,180	1,462	1,015	447	1	0	-	-	-	N.A.
2	102039089515	ANJAN BAG	ANJAN BAG	13,217	7,800	7,800	7,800	936	650	286	0	0	-	-	-	N.A.
3	101884067301	ARPAN MONDAL	ARPAN MONDAL	18,550	11,130	11,130	11,130	1,336	927	409	3	0	-	-	-	N.A.
4	100091741863	ARVIND KUMAR UPADHYAY	ARVIND KUMAR UPADHYAY	15,295	9,177	9,177	9,177	1,101	764	337	7	0	-	-	-	N.A.
5	100122255148	CHANDAN GHARA	CHANDAN GHARA	22,500	13,500	13,500	13,500	1,620	1,125	495	3	0	-	-	-	N.A.
6	101203964194	DEBDAS JANA	DEBDAS JANA	26,865	15,986	15,000	15,000	1,918	1,250	668	0	0	-	-	-	N.A.
7	102022356190	FAHAD ALI SHAN	FAHAD ALI SHAN	13,067	7,840	7,840	7,840	941	653	288	2	0	-	-	-	N.A.
8	101989294245	JOY PRAKASH	JAYPRAKASH KUMAR	15,750	9,000	9,000	9,000	1,080	750	330	0	0	-	-	-	N.A.
9	101810586263	KAYES KUMAR PRASAD	KAYES KUMAR PRASAD	13,230	7,938	0	7,938	953	0	953	9	0	-	-	-	N.A.
10	101676072716	KESHAB SEN	KESHAB SEN	14,000	8,400	8,400	8,400	1,008	700	308	0	0	-	-	-	N.A.
11	101203960786	PRASANTA HALDER	PRASANTA HALDER	0	0	0	0	0	0	0	30	0	-	-	-	N.A.
12	101649103195	RAJ KR UPADHAYA	RAJ KUMAR UPADHYAY	14,000	8,400	8,400	8,400	1,008	700	308	0	0	-	-	-	N.A.
13	101635458761	RANJAN SWARNAKAR	RANJAN SWARNAKAR	11,813	7,088	7,088	7,088	851	590	261	3	0	-	-	-	N.A.
14	101294520445	SUBRATA GANGULY	SUBRATA GANGULY	20,533	12,320	12,320	12,320	1,478	1,026	452	2	0	-	-	-	N.A.

Note:

1) UANs are prefixed with Asterisk sign (*) in case AADHAAR is not seeded /unverified

2) EPS Contribution Remitted is prefixed with Hash sign (#) when Member's age is more than 58 years.

Please ensure that this is the case of "Deferred Pension".

PMRPY Benefit Not Given Remarks :-

Reason Code	Reason Name
EC10001	ECR already filed for this member
EC10002	Parallel Employment: ECR already filed for this
EC10003	Benefit already availed for this member
EC10004	Gross/EPF wages greater than 15,000/-
EC10005	Mismatch in EPF and EPS wages
EC10006	Mismatch in Due and Remitted values
EC10007	UAN Deactivated

ABRY Benefit Not Given Remarks :-

Reason Code	Reason Name
GK10001	EPF wages are greater than or equal to 15,000/-
GK10002	Mismatch in EPF and EPS wages
GK10003	EPF contribution remitted is greater than due remittance
GK10004	EPS contribution remitted is greater than due remittance
GK10005	(EPF - EPS) difference contribution remitted is greater than due
GK10006	EPS contribution remitted is greater than due remittance
GK10007	Aadhaar not seeded



**COMBINED CHALLAN OF A/C NO. 01, 02, 10, 21 & 22 (With
EMPLOYEES' PROVIDENT FUND ORGANISATION)**

TRRN 4712403003318

ECR Id 102311801

LIN :1226592526

Establishment Code & Name WBTLO1639421000 SUBHAM OILS & RESINS PRIVATE LIMITED

Dues for the wage month of February 2024

Address : NAVARANDA, SURYAPUR, KOLKATA, NORTH TWENTY FOUR PARGANAS, WEST BENGAL

Total Subscribers :	EPF 14	EPS 13	EDLI 14
Total Wages :	1,49,822	1,38,630	1,48,836

SL.	PARTICULARS	A/C.01 (Rs.)	A/C.02 (Rs.)	A/C.10 (Rs.)	A/C.21 (Rs.)	A/C.22 (Rs.)	TOTAL
1	Administration Charges	0	749	0	0	0	749
2	Employer's Share Of	6,428	0	11,550	745	0	18,723
3	Employee's Share Of	17,978	0	0	0	0	17,978
Grand Total : Thirty-Seven Thousand Four Hundred Fifty Rupees Only							37,450

(This is a system generated challan on 08-MAR-2024 16:02, the particulars shown in this challan are populated from the Electronic Challan Cum Return (ECR) uploaded by the establishment for the specified month and year.

Note :- The following amounts are being remitted directly by Government of India on account of PMRPY / ABRY.

	PMRPY	ABRY
A) A/C no 1 (Employer share) (Rs.) -	0	0
B) A/C no 10 (Pension fund) (Rs.) -	0	0
C) A/C no 1 (Employee share) (Rs.) -	0	0
D) Total (A + B + C) (Rs.) -	0	0
E) Total remittance by Employer (Rs.) -	37,450	
F) Total amount of uploaded ECR (D + E) (	37,450	



This challan is not proof of payment. To know the payment status please use "TRRN query Search" at www.epfindia.gov.in.



EMPLOYEE'S PROVIDENT FUND

ELECTRONIC CHALLAN CUM RETURN (ECR)

Name of Establishment	SUBHAM OILS & RESINS PRIVATE LIMITED		
Establishment Id	WBTLO1639421000	LIN	1226592526
Wage Month	FEB-2024	Return Month	MAR-2024
Contribution Rate (%)	12	ECR Type	ECR
Salary Disbursement Date	05-MAR-2024	Uploaded Date Time	08-MAR-2024 16:01
Exemption Status	Unexempted	TRRN Number	
Remarks	FEB 2024	ECR Id	102311801
Total Members	14		
Contribution and Remittance Details (In Rupees) :			
Total EPF Contribution Remitted	17,978	Total EPS Contribution Remitted	11,550
Total EPF-EPS Contribution Remitted	6,428	Total Refund Advance	0
PMRPY Upfront Benefit Details (In Rupees) :			
Total PMRPY Upfront EPF Amount	0	Total PMRPY Upfront EPS Amount	0
PMRPY benefit remarks	NA		
ABRY Upfront Benefit Details (In Rupees) :			
Total ABRY benefit Amount	Employee EPF Share	Employer EPS Share	Employer EPF Share
	0	0	0
ABRY benefit remarks	Already an ECR [Id: 102299003] is uploaded for the wage month. No ABRY scheme benefit will be allowed against the subsequent ECR.		

Member Details :-

Sl. No.	UAN	Name as per		Wages				Contribution Remitted				Refunds	PMRPY / ABRY Benefit			Posting Location of the member
		ECR	UAN Repository	Gross	EPF	EPS	EDLI	EE	EPS	ER	NCP Days		Pension Share	ER PF Share	EE Share	
1	101232717852	ANANDA MANIK	ANANDA MANIK	20,300	12,180	12,180	12,180	1,462	1,015	447	1	0	-	-	-	N.A.
2	102039089515	ANJAN BAG	ANJAN BAG	12,567	7,540	7,540	7,540	905	628	277	1	0	-	-	-	N.A.
3	101884067301	ARPAN MONDAL	ARPAN MONDAL	18,200	10,920	10,920	10,920	1,310	910	400	4	0	-	-	-	N.A.
4	100091741863	ARVIND KUMAR UPADHYAY	ARVIND KUMAR UPADHYAY	20,393	11,970	11,970	11,970	1,436	997	439	0	0	-	-	-	N.A.
5	100122255148	CHANDAN GHARA	CHANDAN GHARA	25,000	15,000	15,000	15,000	1,800	1,250	550	0	0	-	-	-	N.A.
6	101203964194	DEBDAS JANA	DEBDAS JANA	26,643	15,986	15,000	15,000	1,918	1,250	668	0	0	-	-	-	N.A.
7	102022356190	FAHAD ALI SHAN	FAHAD ALI SHAN	13,708	8,120	8,120	8,120	974	676	298	1	0	-	-	-	N.A.
8	101989294245	JOY PRAKASH	JAYPRAKASH KUMAR	15,750	9,000	9,000	9,000	1,080	750	330	0	0	-	-	-	N.A.
9	101810586263	KAYES KUMAR PRASAD	KAYES KUMAR PRASAD	17,010	10,206	0	10,206	1,225	0	1,225	3	0	-	-	-	N.A.
10	101676072716	KESHAB SEN	KESHAB SEN	14,000	8,400	8,400	8,400	1,008	700	308	0	0	-	-	-	N.A.
11	101203960786	PRASANTA HALDER	PRASANTA HALDER	19,687	11,812	11,812	11,812	1,417	984	433	0	0	-	-	-	N.A.
12	101649103195	RAJ KR UPADHAYA	RAJ KUMAR UPADHYAY	14,311	8,400	8,400	8,400	1,008	700	308	0	0	-	-	-	N.A.
13	101635458761	RANJAN SWARNAKAR	RANJAN SWARNAKAR	11,813	7,088	7,088	7,088	851	590	261	3	0	-	-	-	N.A.
14	101294520445	SUBRATA GANGULY	SUBRATA GANGULY	22,000	13,200	13,200	13,200	1,584	1,100	484	0	0	-	-	-	N.A.

Note:

1) UANs are prefixed with Asterisk sign (*) in case AADHAAR is not seeded /unverified

2) EPS Contribution Remitted is prefixed with Hash sign (#) when Member's age is more than 58 years.

Please ensure that this is the case of "Deferred Pension".

PMRPY Benefit Not Given Remarks :-

Reason Code	Reason Name
EC10001	ECR already filed for this member
EC10002	Parallel Employment: ECR already filed for this
EC10003	Benefit already availed for this member
EC10004	Gross/EPF wages greater than 15,000/-
EC10005	Mismatch in EPF and EPS wages
EC10006	Mismatch in Due and Remitted values
EC10007	UAN Deactivated

ABRY Benefit Not Given Remarks :-

Reason Code	Reason Name
GK10001	EPF wages are greater than or equal to 15,000/-
GK10002	Mismatch in EPF and EPS wages
GK10003	EPF contribution remitted is greater than due remittance
GK10004	EPS contribution remitted is greater than due remittance
GK10005	(EPF - EPS) difference contribution remitted is greater than due
GK10006	EPS contribution remitted is greater than due remittance
GK10007	Aadhaar not seeded



EMPLOYEE'S PROVIDENT FUND

ELECTRONIC CHALLAN CUM RETURN (ECR)

Name of Establishment	SUBHAM OILS & RESINS PRIVATE LIMITED		
Establishment Id	WBTLO1639421000	LIN	1226592526
Wage Month	MAR-2024	Return Month	APR-2024
Contribution Rate (%)	12	ECR Type	ECR
Salary Disbursement Date	05-APR-2024	Uploaded Date Time	08-APR-2024 19:18
Exemption Status	Unexempted	TRRN Number	
Remarks	MAR 2024	ECR Id	103753500
Total Members	14		
Contribution and Remittance Details (In Rupees) :			
Total EPF Contribution Remitted	15,754	Total EPS Contribution Remitted	10,005
Total EPF-EPS Contribution Remitted	5,749	Total Refund Advance	0
PMRPY Upfront Benefit Details (In Rupees) :			
Total PMRPY Upfront EPF Amount	0	Total PMRPY Upfront EPS Amount	0
PMRPY benefit remarks	NA		
ABRY Upfront Benefit Details (In Rupees) :			
Total ABRY benefit Amount	Employee EPF Share	Employer EPS Share	Employer EPF Share
	0	0	0
ABRY benefit remarks			

Member Details :-

Sl. No.	UAN	Name as per		Wages				Contribution Remitted				Refunds	PMRPY / ABRY Benefit			Posting Location of the member
		ECR	UAN Repository	Gross	EPF	EPS	EDLI	EE	EPS	ER	NCP Days		Pension Share	ER PF Share	EE Share	
1	101232717852	ANANDA MANIK	ANANDA MANIK	17,675	10,500	10,500	10,500	1,260	875	385	5	0	-	-	-	N.A.
2	102039089515	ANJAN BAG	ANJAN BAG	13,000	7,800	7,800	7,800	936	650	286	0	0	-	-	-	N.A.
3	101884067301	ARPAN MONDAL	ARPAN MONDAL	19,950	11,970	11,970	11,970	1,436	997	439	1	0	-	-	-	N.A.
4	100091741863	ARVIND KUMAR UPADHYAY	ARVIND KUMAR UPADHYAY	16,625	9,975	9,975	9,975	1,197	831	366	5	0	-	-	-	N.A.
5	100122255148	CHANDAN GHARA	CHANDAN GHARA	29,167	15,000	15,000	15,000	1,800	1,250	550	0	0	-	-	-	N.A.
6	101203964194	DEBDAS JANA	DEBDAS JANA	26,643	15,986	15,000	15,000	1,918	1,250	668	0	0	-	-	-	N.A.
7	102022356190	FAHAD ALI SHAN	FAHAD ALI SHAN	12,133	7,280	7,280	7,280	874	606	268	4	0	-	-	-	N.A.
8	101989294245	JOY PRAKASH	JAYPRAKASH KUMAR	16,250	9,000	9,000	9,000	1,080	750	330	0	0	-	-	-	N.A.
9	101810586263	KAYES KUMAR PRASAD	KAYES KUMAR PRASAD	17,010	10,206	0	10,206	1,225	0	1,225	3	0	-	-	-	N.A.
10	101676072716	KESHAB SEN	KESHAB SEN	10,733	6,440	6,440	6,440	773	536	237	7	0	-	-	-	N.A.
11	101203960786	PRASANTA HALDER	PRASANTA HALDER	7,219	4,331	4,331	4,331	520	361	159	19	0	-	-	-	N.A.
12	101649103195	RAJ KR UPADHAYA	RAJ KUMAR UPADHYAY	3,733	2,240	2,240	2,240	269	187	82	22	0	-	-	-	N.A.
13	101635458761	RANJAN SWARNAKAR	RANJAN SWARNAKAR	12,250	7,350	7,350	7,350	882	612	270	2	0	-	-	-	N.A.
14	101294520445	SUBRATA GANGULY	SUBRATA GANGULY	22,000	13,200	13,200	13,200	1,584	1,100	484	0	0	-	-	-	N.A.

Note:

1) UANs are prefixed with Asterisk sign (*) in case AADHAAR is not seeded /unverified

2) EPS Contribution Remitted is prefixed with Hash sign (#) when Member's age is more than 58 years.

Please ensure that this is the case of "Deferred Pension".

PMRPY Benefit Not Given Remarks :-

Reason Code	Reason Name
EC10001	ECR already filed for this member
EC10002	Parallel Employment: ECR already filed for this
EC10003	Benefit already availed for this member
EC10004	Gross/EPF wages greater than 15,000/-
EC10005	Mismatch in EPF and EPS wages
EC10006	Mismatch in Due and Remitted values
EC10007	UAN Deactivated

ABRY Benefit Not Given Remarks :-

Reason Code	Reason Name
GK10001	EPF wages are greater than or equal to 15,000/-
GK10002	Mismatch in EPF and EPS wages
GK10003	EPF contribution remitted is greater than due remittance
GK10004	EPS contribution remitted is greater than due remittance
GK10005	(EPF - EPS) difference contribution remitted is greater than due
GK10006	EPS contribution remitted is greater than due remittance
GK10007	Aadhaar not seeded



**COMBINED CHALLAN OF A/C NO. 01, 02, 10, 21 & 22 (With
EMPLOYEES' PROVIDENT FUND ORGANISATION)**

TRRN 4712404002925

ECR Id 103753500

LIN :1226592526

Establishment Code & Name WBTLO1639421000 SUBHAM OILS & RESINS PRIVATE LIMITED

Dues for the wage month of March 2024

Address : NAVARANDA, SURYAPUR, KOLKATA, NORTH TWENTY FOUR PARGANAS, WEST BENGAL

Total Subscribers :	EPF 14	EPS 13	EDLI 14
Total Wages :	1,31,278	1,20,086	1,30,292

SL.	PARTICULARS	A/C.01 (Rs.)	A/C.02 (Rs.)	A/C.10 (Rs.)	A/C.21 (Rs.)	A/C.22 (Rs.)	TOTAL
1	Administration Charges	0	656	0	0	0	656
2	Employer's Share Of	5,749	0	10,005	652	0	16,406
3	Employee's Share Of	15,754	0	0	0	0	15,754
Grand Total : Thirty-Two Thousand Eight Hundred Sixteen Rupees Only							32,816

(This is a system generated challan on 08-APR-2024 19:19, the particulars shown in this challan are populated from the Electronic Challan Cum Return (ECR) uploaded by the establishment for the specified month and year.

Note :- The following amounts are being remitted directly by Government of India on account of PMRPY / ABRY.

	PMRPY	ABRY
A) A/C no 1 (Employer share) (Rs.) -	0	0
B) A/C no 10 (Pension fund) (Rs.) -	0	0
C) A/C no 1 (Employee share) (Rs.) -	0	0
D) Total (A + B + C) (Rs.) -	0	0
E) Total remittance by Employer (Rs.) -	32,816	
F) Total amount of uploaded ECR (D + E) (	32,816	



This challan is not proof of payment. To know the payment status please use "TRRN query Search" at www.epfindia.gov.in.

Annexure – 7

আনন্দবাজার পত্রিকা ও এবেনা-র কন্থা অফার: ৫ টাকা

‘জে
বিজ্ঞাপনের ড
অভিজিৎ-৭

আরও শ্রেণিবদ্ধ
বিজ্ঞাপন
২ পাতায়

The Telegraph

CALCUTTA TUESDAY 16 APRIL 2013 Rs 3.00

ta Sen 9831728385
as Consultant/
per Part/Full time
to needs serious
to expand in Kol
788788

**co
immigration**

Space for Cor-
available on rent
riahat Road, Gol-
Area approx 700sqft
n 2nd and 3rd Floor,
sted corporate par-
ay send their enqui-
through email to
sarsteel@rediff
om or meet Shri P
ttacharya at 159/1,
Road Howrah-
between 1pm-4pm
rking days. Broker
e
788228

guys 24hrs service Kria
8017722579/9830789409
788444

pen friend

High Earn (25000-35000)
through male escort
bold relation with air
hostress model pick &
drop-8017740208/
9874380632
788888

Progress your financial
condition Hi income
Bold relation hi profile
100% privacy & dignity
8017090560/ 9874380668
788888

Get the fill of cosy
Friendship with high per-
file Male/Female this Hu-
mid Season 9331164048/
9339539049/ 9330797577
788228

notice

It is for information
that Subham Oils and
Resins Private Limited is
being accorded Environ-
mental Clearance from
MOEF, Govt. of India vide
F. No. J-11011/351/2010-
LA II (I), dtd. 22.03.2013 for
production of Alkyd
Resin (1500 TPA) at
Village- Suripur, Tehsil
Barackpore, Dist. North
24Pgs, West Bengal. More
information available
with WB.P.C.B. &
M.O.E.F. Web site of :
<http://envfoic.in>
788241

change of name

I under sign Tahamina
Begum declare that Tahi-
mina Gajali in my school
certificate and Taimina
Gajali in my sons birth
certificate are the one &
same person. This is by
deed at Sealdah court
South 24 Pargana on 9th
April 2013.
787838

Know all by virtue of an
affidavit sworn on
25.04.2013 before the Ld.
Executive Magistrate at
Rampurhat, my wife will
be known and identified
as Suprava Mandal only
in place of Suproba
Mandal. (Sri Binakar
Mandal).
788841

**Now book Classified ad
in The Telegraph
from home.**

2448 2828
(Kolkata)

2448 3030*
(Outside Kolkata)

*For black areas only

For
**TENDER
&
NOTICE**
advertisement
Call:
Arjun
98369 85698

Only 5% Premium for Colour

**Ranked
among
top 3**
private Universities
of the country
in a study by Financial Express
year 2009

**Ranked
no. 1**
private University
of the country
in a study by DNA
year 2011

Best
Hotel management
institute
of the country
in a study by CSR
year 2012

Best
E-campus
of the country
awarded by
Chairman of AICTE
year 2012

Annexure – 8

F. No. J-11011/551/2010-IA-II (I)
Government of India
Ministry of Environment and Forests
(I.A. Division)

Paryavaran Bhawan
CGO Complex, Lodhi Road
New Delhi - 110 003

E-mail: r.sundar@nic.in
Telefax: 011: 2436 6739
Dated: 22nd March, 2013

To,

Shri Sujit Kumar Modi
M/s Subham Oils Resins Private Limited
183, Bngur Avenue, Block B,
Kolkata - 700 055, West Bengal

E-mail: sjitmotdi@yahoo.co.in; pscpl.env@gmail.com

Sub: Alkyd Manufacturing Unit (1,500 TPA) at J.L. No. 15, Plot No. 650/780, 635/781, 636/861, Village Surjpur, Tehsil Barackpore, District North 24 Parganas, West Bengal by M/s Subham Oils Resins Pvt. Ltd. - regarding Environmental Clearance

Sir,

This has reference to your letter no. Nil dated 30.7.2012 along with copies of EIA/EMP and public hearing reports seeking environment clearance under the provisions of EIA Notification, 2006.

2. The Ministry of Environment and Forests has examined the application for the above project. It is noted that M/s Subham Oils Resins Private Limited have proposed for setting up of Alkyd Manufacturing Unit (1,500 TPA/42.5 MTPM) at J. L. No. 15, Plot No. 650/780, 635/781, 636/861, Village Surjpur, Tehsil Barackpore, District North 24 Parganas, West Bengal. The existing unit did not require Environmental Clearance and the Alkyd Resin unit is proposed in the same premises. Plot area is 2,711 m² and green belt will be developed in 895 m². River Hooghly flows at a distance of 5 Km. No National park/ wildlife sanctuary / Reserve Forests are located within 10 Km. Project cost is Rs. 1.65 Crores. Rs. 17.0 Lakhs and Rs. 2.05 Lakhs are earmarked towards capital cost and recurring cost / annum for pollution control measures.

3. Penta Erythritol, Pthalic Anhydride, Dry Oils, Rosin, Glycerine and Malic Anhydride, will be used as raw materials. Power requirement from West Bengal State Electricity Distribution Company Limited will be 22.5 KW. DG set (65 KVA) will be installed.

4. It is noted that Furnace Oil fired thermic fluid heater will be installed and adequate height of stack will be provided for dispersion of pollutants. Stack (3.5 m) above the roof top will be provided to DG set.

5. Total ground water requirement will be 0.4 m³/day. Effluent from process will be treated in Effluent Treatment Plant (ETP). The treated effluent will be stored and reused in the plant for gardening and sprinkler system.

6. It is noted that sludge from ETP will be given to Ramky, Haldia, West Bengal for disposal as per Hazardous waste Management Rules.

7. All the Resin manufacturing plants located outside notified industrial area are listed at S.No. 5(f) under Category 'A' of the Schedule of EIA Notification, 2006 and appraised by the Expert Appraisal Committee (Industry) of MoEF.

8. The proposal was considered by the Reconstituted Expert Appraisal Committee (Industry) in its 3rd meeting held during 3-5th December, 2012. The Committee recommended the proposal for environmental clearance subject to stipulation of specific conditions along with other environmental conditions. Public Hearing / Public Consultation meeting was conducted by the West Bengal Pollution Control Board on 30.1.2012.

9. Based on the information submitted by you, presentation made by you, your consultant, M/s Pacific Scientific Consultancy Pvt. Ltd., Kolkata, the Ministry of Environment and Forests hereby accords environmental clearance to the above project under the provisions of EIA Notification dated 14th September 2006 subject to strict compliance of the following Specific and General conditions:

A. SPECIFIC CONDITIONS :

- i. Regular monitoring of Volatile Organic Compounds (VOCs) should be carried out.
- ii. Stack of adequate height should be installed to oil fired boiler to disperse waste gases into atmosphere.
- iii. Fugitive emissions in the work zone environment, product, raw materials storage area etc. should be regularly monitored. The emissions should conform to the limits imposed by SPCB.
- iv. Wet scrubber should be provided to control process emissions. Methanol should be recovered from the process area.
- v. Total water requirement should not exceed 0.4 m³/day and prior permission shall be obtained from the concerned Authority.
- vi. As proposed, Industrial effluent shall be treated in ETP. Treated effluent should be reused/recycled within the factory premises. Water quality of treated effluent shall meet the norms prescribed by CPCB/SPCB. As proposed Phenol should be extracted/treated from the effluent before sending to the ETP.
- vii. The company should obtain Authorization for collection, storage and disposal of hazardous waste under the Hazardous Waste (Management, Handling and Trans-Boundary Movement) Rules, 2008 and amended as on date for management of Hazardous wastes and prior permission from SPCB should be obtained for disposal of solid / hazardous waste in the TSDF. Measures should be taken for firefighting facilities in case of emergency.
- viii. Solvent management should be as follows :
 - Reactor should be connected to chilled brine condenser system
 - Reactor and solvent handling pump should have mechanical seals to prevent leakages.

- The condensers should be provided with sufficient Heat Transfer Area (HTA) and residence time so as to achieve more than 95% recovery.
 - Solvents should be stored in a separate space specified with all safety measures.
 - Proper earthing should be provided in all the electrical equipments wherever solvent handling is done.
 - Entire plant where solvents are used should be flame proof. The solvent storage tanks should be provided with breather valve to prevent losses.
- ix. As proposed, green belt should be developed in at least 33 % of the project area. Selection of plant species shall be as per the CPCB guidelines in consultation with the DFO.
- x. Occupational health surveillance of the workers should be done on a regular basis and records maintained as per the Factories Act.
- xi. All the commitments made to the public during the Public Hearing/Public Consultation meeting held on 30.1.2012 shall be satisfactorily implemented and a separate budget for implementing the same shall be allocated and information submitted to the Ministry's Regional Office at Bhubaneswar.
- xii. The company shall provide housing for construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.

B. GENERAL CONDITIONS:

- i. Ambient air quality data should be collected as per NAAQS standards notified by the Ministry on 16th September, 2009.
- ii. The project authorities must strictly adhere to the stipulations made by the West Bengal Pollution Control Board and the State Government.
- iii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests.
- iv. At least four ambient air quality monitoring stations should be established in the downward direction as well as where maximum ground level concentration of PM₁₀, SO₂ and NO_x are anticipated in consultation with the SPCB. Data on ambient air quality and stack emission shall be regularly submitted to this Ministry including its Regional Office at Bhubaneswar and the SPCB/CPCB once in six months.
- v. Industrial wastewater shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May, 1993 and 31st December, 1993 or as amended from time to time. The treated wastewater shall be utilized for plantation purpose.
- vi. The overall noise levels in and around the plant area shall be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient

noise levels should conform to the standards prescribed under EPA Rules, 1989 viz. 75 dBA (daytime) and 70 dBA (nighttime).

- vii. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.
- viii. The company shall develop rain water harvesting structures to harvest the rain water for utilization in the lean season besides recharging the ground water table.
- ix. The project proponent shall also comply with all the environmental protection measures and safeguards recommended in the EIA/EMP report. Further, the company must undertake socio-economic development activities in the surrounding villages like community development programmes, educational programmes, drinking water supply and health care etc.
- x. Requisite funds shall be earmarked towards capital cost and recurring cost/annum for environment pollution control measures to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government. An implementation schedule for implementing all the conditions stipulated herein shall be submitted to the Regional Office of the Ministry at Bhubaneswar. The funds so provided shall not be diverted for any other purpose.
- xi. A copy of clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parishad/Municipal Corporation, Urban Local Body and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the web site of the company by the proponent.
- xii. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the MOEF at Bhubaneswar. The respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; PM₁₀, SO₂, NO_x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
- xiii. The project proponent shall also submit six monthly reports on the status of the compliance of the stipulated environmental conditions including results of monitored data (both in hard copies as well as by e-mail) to the Regional Office of MOEF, the respective Zonal Office of CPCB and the SPCB. The Regional Office of this Ministry at Bhubaneswar/ CPCB / SPCB shall monitor the stipulated conditions.
- xiv. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental conditions and shall also be sent to the respective Regional Office of the MOEF at Bhubaneswar by e-mail.
- xv. The Project Proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB and may also be seen at Website of the Ministry of

Environment and Forests at <http://envfor.nic.in>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same should be forwarded to the Regional office at Bhubaneswar.

- xvi. Project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.
10. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
11. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
12. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Wastes (Management, Handling and Transboundary Movement) Rules, 2008 and the Public (Insurance) Liability Act, 1991 along with their amendments and rules.
13. This issues with the prior approval of the Competent Authority.

(Sundar Ramanathan)
Deputy Director(S)

Copy to:-

1. The Secretary, Department of Environment, Govt. of West Bengal.
2. The Chairman, Central Pollution Control Board, Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, New Delhi, 110 032.
3. The Chairman, West Bengal Pollution Control Board, Paribesh Bhawan, Bldg. No. 10-A, Block- LA, Sector 3, Salt Lake City, Kolkata – 700 091
4. The Chief Conservator of Forests, Regional Office (EZ), Ministry of Environment & Forests, A/3, Chandesekharpur, Bhubaneswar – 751023.
5. Monitoring Cell, Ministry of Environment and Forests, Paryavaran Bhavan, CGO Complex, New Delhi.
6. Guard File / Record File/Monitoring file.


(Sundar Ramanathan)
Deputy Director(S)